

185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003





Date Released: 1/17/2024 10:40:34AM

Report #: 8680

Level Protab Sativa

Sample #: 3465, Weight: 17.60g, Unit Count:

Order #: X240105-0001

Category/Type: Ingestible, Edibles Date Collected: 1/5/2024 11:21:13AM Date Received: 1/5/2024 11:23:32AM Regulator Sample ID: NY20PT240105d9S

Regulator Source Package ID: NY20PT240105d9S

Regulator Batch ID: NY20PT240105d9S

Size: 5000Units, Unit Count:



Total Cannabinoids 10.56 mg/svg 119.9 mg/g

Residual Solvents

PASS



Total THC



0.0 %



PASS

Date Completed: 01/15/2024 10:55AM



PASS

9.170 mg/svg 104.1 mg/g

Pesticides

PASS

0.02175 mg/svg

0.2471 mg/g



Water Activity

Mycotoxins PASS **PASS**

Potency Analysis by HPLC

Total Cannabinoids: 10.56 mg/svg - 119.9 mg/g

Total THC: 9.170 mg/svg - 104.1 mg/g Total CRD: 0.02175 mg/svg - 0.2471 mg/g

Compound	CAS#	LOQ (mg/svg)	mg/svg	mg/g	Relative Concentration
d9-THC	1972-08-3	0.01000	8.998	102.2	
CBN	521-35-7	0.01000	0.9470	10.76	
CBG	25654-31-3	0.01000	0.3334	3.789	-
d10-THC	95543-62-7	0.01000	0.1265	1.437	•
THCV	31262-37-0	0.01000	0.08489	0.9646	•
d8-THC	5957-75-5	0.01000	0.04507	0.5122	I
CBDa	1244-58-2	0.01000	0.02480	0.2818	I
THCa	23978-85-0	0.01000	ND	ND	
CBD	13956-29-1	0.01000	ND	ND	
CBDV	24274-48-4	0.01000	ND	ND	
CBC	20675-51-8	0.01000	ND	ND	
CBGa	25555-57-1	0.01000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KevstoneStateTesting.com Permit #: OCM-CPL-2022-00007

Kelly N. Greela

Dr. Kelly Greenland, Lab Director



Page 1 of 8

Report Date: 01/17/2024 10:43:14AN



185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3465 Level Protab Sativa

Terpenes by HS-GC-MS Date Completed: 01/11/2024 2:19						
Compound	CAS#	LOQ (%)	%	Relative Concentration		
Beta-myrcene	123-35-3	0.1000	ND			
Beta-caryophyllene	87-44-5	0.1000	ND			
Limonene	5989-27-5	0.1000	ND			
Alpha-pinene	80-56-8	0.1000	ND			
Alpha-humulene	6753-98-6	0.1000	ND			
Linalool	78-70-6	0.1000	ND			
Beta-pinene	127-91-3	0.1000	ND			
Terpinolene	586-62-9	0.1000	ND			
Borneol	464-43-7	0.1000	ND			
Ocimene	13877-91-3	0.1000	ND			
Alpha-bisabolol	515-69-5	0.1000	ND			
Caryophyllene-oxide	1139-30-6	0.1000	ND			
Geraniol	106-24-1	0.1000	ND			
Camphene	79-92-5	0.1000	ND			
Guaiol	489-86-1	0.1000	ND			
Alpha-terpinene	99-86-5	0.1000	ND			
Terpineol	8006-39-1	0.1000	ND			
Fenchol	14575-74-7	0.1000	ND			
Valencene	4630-07-3	0.1000	ND			
Alpha-phellandrene	99-83-2	0.1000	ND			
Farnesene	502-61-4	0.1000	ND			
Camphor	464-49-3	0.1000	ND			

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Greela

Dr. Kelly Greenland, Lab Director



Page 2 of 8

Report Date: 01/17/2024 10:43:14AN



185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3465 Level Protab Sativa

Compound	CAS#	LOQ (%)	%	Relative Concentration
3-Carene	13466-78-9	0.1000	ND	
Alpha-cedrene	469-61-4	0.1000	ND	
Cedrol	77-53-2	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
Gamma-terpinene	99-85-4	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Isopulegol	89-79-2	0.1000	ND	
Menthol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
Nerolidol		0.1000	ND	
Pulegone	89-82-7	0.1000	ND	
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	

W	ater Activity	Pass		Analysis Date:	01/05/2024 12:54 pm	
	Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
	Water Activity	0.05	0.85	0.22	Pass	
Co	Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					

Pesticides by LCMSMS	sticides by LCMSMS Pass		Analysis Date	: 01/10/2024 11:45 am
Compound	LOQ (μg/g)	Limits (μg/g)	Result (μg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Gren Land

Dr. Kelly Greenland, Lab Director



Page 3 of 8

Report Date: 01/17/2024 10:43:14AM



185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3465 Level Protab Sativa

sticides by LCMSMS	Pass	•	Analysis Date: 01/10/2024 11:45 ar		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	
Cypermethrin	0.0100	1.00	ND	Pass	
Daminozide	0.0100	1.00	ND	Pass	
Diazinon	0.0100	0.200	ND	Pass	
Dichlorvos	0.0100	1.00	ND	Pass	
Dimethoate	0.0100	0.200	ND	Pass	
Dimethomorph	0.0100	1.00	ND	Pass	
Ethoprophos	0.0100	0.200	ND	Pass	
Etofenprox	0.0100	0.400	ND	Pass	
Etoxazole	0.0100	0.200	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported begins

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Greela





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3465 Level Protab Sativa

sticides by LCMSMS	Pass	3	Analysis Date: 01/10/2024 11:45	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
lmazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3465 Level Protab Sativa

esticides by LCMSMS	Pass	•	Analysis Date: 01/10/2024 11:45 am		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Prallethrin	0.0100	0.200	ND	Pass	
Propiconazole	0.0100	0.400	ND	Pass	
Propoxur	0.0100	0.200	ND	Pass	
Pyrethrins Total	0.0100	1.00	ND	Pass	
Pyridaben	0.0100	0.200	ND	Pass	
Spinetoram Total	0.0100	1.00	ND	Pass	
Spinosad Total	0.0100	0.200	ND	Pass	
Spiromesifen	0.0100	0.200	ND	Pass	
Spirotetramat	0.0100	0.200	ND	Pass	
Spiroxamine	0.0100	0.200	ND	Pass	
Tebuconazole	0.0100	0.400	ND	Pass	
Thiacloprid	0.0100	0.200	ND	Pass	
Thiamethoxam	0.0100	0.200	ND	Pass	
Trifloxystrobin	0.0100	0.200	ND	Pass	

Residual Solvents by HS-GC-MS	Pass		Analysis Date: 01/15/2024 10:34	
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
1,2-Dichloroethane	0.0500	5.00	ND	Pass
Acetone	50.00	5000	ND	Pass
Acetonitrile	50.00	410	ND	Pass
Benzene	0.5000	2.00	ND	Pass
Butanes Total	25.00	5000	ND	Pass
Chloroform	0.5000	60.0	ND	Pass
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass
Ethanol	50.00	5000	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3465 Level Protab Sativa

Residual Solvents by HS-GC-MS	Pass		Analysis Date: 01/15/2024 10:34			
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status		
Ethyl acetate	50.00	5000	ND	Pass		
Ethyl ether	50.00	5000	ND	Pass		
Heptane	50.00	5000	ND	Pass		
Hexanes Total	10.00	290	ND	Pass		
Isopropanol	50.00	5000	ND	Pass		
Methanol	50.00	3000	ND	Pass		
Methylene chloride	50.00	600	ND	Pass		
Pentanes Total	16.70	5000	ND	Pass		
Propane	50.00	5000	ND	Pass		
Toluene	50.00	890	ND	Pass		
Total xylenes	25.00	2170	ND	Pass		
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass		
Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.						

lycotoxins by LCMSMS	Pass	•	Analysis Date: 01/10/2024 11:45			
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status		
Aflatoxin B1	0.0050	0.020	ND	Pass		
Aflatoxin B2	0.0050	0.020	ND	Pass		
Aflatoxin G1	0.0050	0.020	ND	Pass		
Aflatoxin G2	0.0050	0.020	ND	Pass		
Ochratoxin A	0.0050	0.020	ND	Pass		
Total Aflatoxin	0.0050	0.020	ND	Pass		
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.						

Heavy Metals by ICPMS	Pass		Analysis Date: 01/10/2024	
Compound	LOQ (μg/g)	Limits (μg/g)	Result (μg/g)	Status
-				

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Greelal





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3465 Level Protab Sativa

Heavy Metals by ICPMS	Pass	•	Analysis Date	e: 01/10/2024 9:22 am
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Antimony	0.0100	120	ND	Pass
Arsenic	0.00100	1.50	ND	Pass
Cadmium	0.00150	0.500	ND	Pass
Chromium	0.280	1100	ND	Pass
Copper	0.0750	300	2.24	Pass
Lead	0.00250	0.500	0.0142	Pass
Mercury	0.000500	3.00	0.00443	Pass
Nickel	0.0100	20.0	0.0499	Pass
Comment: Heavy Metal contamination tested by ICPMS using P-NY	140. Unless otherwise stated, all	QC passed.		

Pass		Analysis Date: 01/09/2024 9:08	
LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
1	0	Not Detected	Pass
1	0	Not Detected	Pass
1	0	Not Detected	Pass
1	0	Not Detected	Pass
1	0	Not Detected	Pass
1	0	Not Detected	Pass
10	10000	1000	Pass
10	1000	<loq< td=""><td>Pass</td></loq<>	Pass
	LOQ (CFU/g) 1 1 1 1 1 1 1 1 1 1 1 1	LOQ (CFU/g) 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1	LOQ (CFU/g) Limits (CFU/g) Result (CFU/g) 1 0 Not Detected 10 10000 1000

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Greala

