

ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



DISTRIBUTOR:
Metta Medical

C11-0001250-LIC

CULTIVATOR / MANUFACTURER: Metta Medical

CDPH-10004472

SAMPLE INFO	RMATIC	N		
Sample No.:	1129979		Sample Increments:	13
Product Name:	Level - Sle TL220610	ep Tablingual -)CBN	Sample Weight / Increment (g):	3.02
Matrix		ally Dissolving	Total Sample Weight (g):	39.26
	Product)	CON	Date Collected:	06/14/2022
Batch #:	TL220610	CBN	Date Received:	06/14/2022
Product- Batch Size (Units):	2617		Date Reported:	06/17/2022
Source UID:		00020081000001303		
TEST SUMMAR	Y			
Cannabinoid Prof	ile:	Pass Pass	Microbiological Screen:	Pass 9
Pesticide Residue	Screen:	O Pass	Residual Solvent Screen:	Pass
Heavy Metal Scree	en:	Pass	Foreign Material:	O Pass
Mycotoxin Screen	:	C Pass	Water Activity:	O Pass
		C Pass		

Cannabinoid Profile ØPass

Method:	MF-CHEM-15
Instrument:	Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection	0.067 mg/g
Limit of Quantificatio	on 02 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
∆8-THC	ND	ND	ND	ND	2
Δ9-THC	ND	ND	ND	ND	Pass
۵9-THCA	ND	ND	ND	ND	20 C 4
THCV	ND	ND	ND	ND	<u></u>
THCVA	ND	ND	ND	ND	
CBD	ND	ND	ND	ND	<u>0</u>
CBDA	ND	ND	ND	ND	5 .
CBC	023	0.023	0.03	0.70	2
CBCA	ND	ND	ND	ND	
CBDV	ND	ND	ND	ND	20
CBG	ND	ND	ND	ND	5
CBGA	ND	ND	ND	ND	¥
CBN	31.74	3.174	4.79	95.73	2
Total THC	ND	ND	ND	ND	Ħ
Total CBD	ND	ND	ND	ND	2
Total Cannabinoids	31.97	3.197	482	96.43	z)
Sum of Cannabinoids	31.97	3.197	482	96.43	<u> </u>
Serving Weight (g)	0.1508				
Package Weight (g)	3.02				

Microbiological Screen Ø Pass

Analyte	Method	Findings	Status	
Salmonella	AOAC 2016.01	Negative/1g	Pass	
STEC	3M MDS STEC/EAE	Negative/1g	Pass	

Pesticide Residue Screen 🔮 Pass

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1129979 Batch #: TL220610CBN Page 1 of 4 Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

06/17/2022

06/17/2022

06/17/2022



Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0 2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
	0.10/0 30	ND	1.0	Pass
Cyfluthrin				
Cypermethrin	0.10/0 30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1,5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidadoprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0 30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0 30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.08	ND	3.0	Pass
and the second				
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4,5	Pass

Residual Solvent Screen **V**Pass

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0 2/0.5	ND	1	Pass

Anresco Laboratories	www.anresco.com
1375 Van Dyke Ave, Sar	n Francisco, CA 94124

Sample #: 1129979 Batch #: TL220610CBN 06/17/2022

Page 2 of 4 Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0 2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0 2/0.5	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0 2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0 2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0 2/0.5	ND	1	Pass

Heavy Metal Screen SPass

MF-CHEM-16 Method:

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	BLOQ	0.5	Pass

Foreign Material **O** Pass

Method: MF-MACRO-5

Analyte	Findings	Limit	Status	
Sand, Soils, Cinders, and Dirt	ND	25%	Pass	
Mold	ND	25%	Pass	
Imbedded Foreign Material	ND	25%	Pass	
Insect Fragment	ND	1 per 3g	Pass	
Hair	ND	1 per 3g	Pass	
Mammalian Excreta	ND	1 per 3g	Pass	

Mycotoxin Screen Ø Pass

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	2	542.
Aflatoxin B2	2/5	ND	5	-
Aflatoxin G1	2/5	ND	<u></u>	5 - 5
Aflatoxin G2	2/5	ND	3	
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

Water Activity

MF 14G051 Method:

Instrument: Decagon

Analyte	Findings	Limit	Status	
Water Activity	0 37	0 85	Pass	

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1129979 Batch #: TL220610CBN

Page 3 of 4 Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

06/17/2022

06/17/2022

06/17/2022

06/16/2022



Total THC = Δ9-THC + (0.877 * Δ9-THCA) Total CBD = CBD + (0 877 * CBDA)

() = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Total Cannabinoids = Σ (neutral cannabnoids) + [0 877 * Σ (acidic cannabinoids)]

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19. Chapter 6. Article 7. §15730. pursuant to §15726.(e)(13).

Reported by



Lab Co Director June 17, 2022



Sample #: 1129979 Batch #: TL220610CBN

Page 4 of 4 Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.