

**ANALYZED BY:**

Anresco Laboratories  
 1375 Van Dyke Avenue,  
 San Francisco, CA 94124  
 C8-0000052-LIC

**DISTRIBUTOR:**

Metta Medical  
 3005 Wiljan Ct  
 Santa Rosa 95407  
 C11-0001250-LIC

**CULTIVATOR / MANUFACTURER:**

Metta Medical  
 3005 Wiljan Ct  
 Santa Rosa 95407  
 CDPH-10004472


**SAMPLE INFORMATION**

<b>Sample No.:</b>	1103087	<b>Sample Increments:</b>	20
<b>Product Name:</b>	Level - Hybrid Protabs - 25PT211117d9H	<b>Sample Weight / Increment (g):</b>	2.04
<b>Matrix:</b>	Concentrate (Orally Consumed Concentrate)	<b>Total Sample Weight (g):</b>	40.8
<b>Batch #:</b>	25PT211117d9H	<b>Date Collected:</b>	11/29/2021
<b>Product-Batch Size (Units):</b>	6552	<b>Date Received:</b>	11/30/2021
		<b>Date Reported:</b>	12/02/2021

**TEST SUMMARY**

<b>Cannabinoid Profile:</b>	✓ Pass	<b>Microbiological Screen:</b>	✓ Pass
<b>Pesticide Residue Screen:</b>	✓ Pass	<b>Residual Solvent Screen:</b>	✓ Pass
<b>Heavy Metal Screen:</b>	✓ Pass	<b>Foreign Material:</b>	✓ Pass
<b>Mycotoxin Screen:</b>	✓ Pass	<b>Water Activity:</b>	✓ Pass
<b>Overall:</b>	✓ Pass		

**Cannabinoid Profile** ✓ Pass

12/02/2021

**Method:** MF12D012  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.13 mg/g  
**Limit of Quantification** 0.4 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
Δ8-THC	ND	ND	ND	ND	-
Δ9-THC	134.26	13.426	27.23	272.27	Pass
Δ9-THCA	ND	ND	ND	ND	-
THCV	0.69	0.069	0.14	1.41	-
THCVA	ND	ND	ND	ND	-
CBD	<LOQ	<LOQ	<LOQ	<LOQ	-
CBDA	ND	ND	ND	ND	-
CBC	1.68	0.168	0.34	3.41	-
CBCA	ND	ND	ND	ND	-
CBDV	ND	ND	ND	ND	-
CBG	2.10	0.210	0.43	4.27	-
CBGA	ND	ND	ND	ND	-
CBN	3.67	0.367	0.74	7.44	-
Total THC	134.26	13.426	27.23	272.27	-
Total CBD	ND	ND	ND	ND	-
Total Cannabinoids	142.40	14.240	28.88	288.79	-
Total Active Cannabinoids	142.40	14.240	28.88	288.79	-
<b>Serving Weight (g)</b>	0.2028				
<b>Measured Package Weight (g)</b>	2.03				

**Microbiological Screen** ✓ Pass

12/02/2021

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/1g	Pass
STEC	3M MDS STEC/EAE	Negative/1g	Pass

**Pesticide Residue Screen** ✓ Pass

12/01/2021

**Method:** MF-CHEM-13  
**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorovous)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxanil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0.30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

## Residual Solvent Screen ✔ Pass

12/02/2021

**Method:** USP OVI<467>

**Instrument:** Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.10/1.00	ND	1	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.10/1.00	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.10/1.00	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	27/80	ND	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.50/1.00	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	BLOQ	5000	Pass
Methanol	50/150	ND	3000	Pass
Methylene chloride	0.50/1.00	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND	2170	Pass
Trichloroethylene	0.10/1.00	ND	1	Pass

## Heavy Metal Screen ✔ Pass

12/01/2021

Method: MF 24E020

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

## Foreign Material ✔ Pass

12/02/2021

Method: Visual

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

## Mycotoxin Screen ✔ Pass

12/01/2021

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) &amp; Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

## Water Activity

11/30/2021

Method: MF 14G051

Instrument: Decagon

Analyte	Findings	Limit	Status
Water Activity	0.41	0.85	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

All LQC samples were performed and met the prescribed acceptance criteria in  
16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13)

Reported by

 

Vu Lam  
Lab Co Director  
December 02, 2021



Scan to verify