

ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



DISTRIBUTOR:



Matrix:

Batch #:

MANUFACTURER:

Metta Medical CDPH-10004472

SAMPLE INFORMATION

Sample No.: **Product Name:**

Level - Indica Protab -25PT220805d9I Concentrate (Orally Consumed Concentrate)

25PT220805d9I

Product-Batch Size (Units): 9174

Source UID: 1A4060300020081000001486 Sample Increments: Sample Weight / Increment (g): Total Sample Weight (g): Date Collected:

08/05/2022 **Date Received:** 08/08/2022 Date Reported: 08/10/2022

20

1.7

34

TEST SUMMARY

Pass **Cannabinoid Profile:** Pesticide Residue Screen: Pass Pass **Heavy Metal Screen:** Pass Mycotoxin Screen: Pass Overall:

Pass Microbiological Screen: **Residual Solvent Screen:** Pass Pass Foreign Material: Pass Water Activity:

Cannabinoid Profile Pass

Method:

Instrument:

MF-CHFM-15

Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Detection 0.133 mg/g Limit of Quantification 0.4 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
Δ8-ΤΗC	ND	ND	ND	ND	-
Δ9-ΤΗС	140.81	14.081	24.21	242.06	Pass
Δ9-ΤΗСΑ	ND	ND	ND	ND	-
THCV	0.87	0.087	0.15	1.49	-
THCVA	ND	ND	ND	ND	-
CBD	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<>	<loq< td=""><td>-</td></loq<>	-
CBDA	ND	ND	ND	ND	-
CBC	3.84	0.384	0.66	6.60	-
CBCA	ND	ND	ND	ND	-
CBDV	ND	ND	ND	ND	-
CBG	6.21	0.621	1.07	10.67	-
CBGA	ND	ND	ND	ND	-
CBN	1.02	0.102	0.18	1.76	-
Total THC	140.81	14.081	24.21	242.06	-
Total CBD	ND	ND	ND	ND	-
Total Cannabinoids	152.75	15.275	26.26	262.58	-
Sum of Cannabinoids	152.75	15.275	26.26	262.58	-
Serving Weight (g)	0.1719				
	4 =0				

Package Weight (g)

Microbiological Screen Pass

08/10/2022

08/10/2022

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/1g	Pass
STEC	3M MDS STEC/EAE	Negative/1g	Pass

Pesticide Residue Screen OP Pass

08/10/2022

MF-CHEM-13 Method:

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1135355 Batch #: 25PT220805d9I

Page **1** of **4** Report ID: S-3



Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
			0.02	
Diazinon	0.02/0.06 0.02/0.06	ND ND		Pass
Dimethoate		ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos		ND	0.02	
•	0.02/0.06			Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0.30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
•	0.02/0.06	ND	13.0	Pass
Spirotetramat Spirovamino				
Spiroxamine	0.02/0.06	ND ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen Pass

08/10/2022

USP OVI<467> Method:

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1.2-Dichloroethane	0.2/0.5	ND	1	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1135355 Batch #: 25PT220805d9I Page **2** of **4**

Report ID: S-3



Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Heavy Metal Screen Pass

08/09/2022

08/09/2022

MF-CHEM-16 Method:

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Foreign Material Pass

Method: MF-MACRO-5

Analyte	Findings	Limit	Status	
Sand, Soils, Cinders, and Dirt	ND	25%	Pass	
Mold	ND	25%	Pass	
Imbedded Foreign Material	ND	25%	Pass	
Insect Fragment	ND	1 per 3g	Pass	
Hair	ND	1 per 3g	Pass	
Mammalian Excreta	ND	1 per 3g	Pass	

08/10/2022 **Mycotoxin Screen** Pass

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

08/08/2022 **Water Activity**

Method: MF 14G051 Instrument: Decagon

Analyte **Findings** Limit Status Water Activity **Pass**

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1135355 Batch #: 25PT220805d9I

Page 3 of 4 Report ID: S-3



Total THC = Δ 9-THC + (0.877 * Δ 9-THCA) Total CBD = CBD + (0.877 * CBDA) (-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19. Chapter 6. Article 7. §15730. pursuant to §15726.(e)(13).

Reported by





Scan to verif

August 10, 2022