

ANALYZED BY:

 Anresco Laboratories
 1375 Van Dyke Avenue,
 San Francisco, CA 94124
 C8-18-0000020-TEMP

DISTRIBUTOR:

 Metta Medical LLC
 1088 Howard Street
 San Francisco, CA 94103
 A12-18-0000036-TEMP

CULTIVATOR / MANUFACTURER:

 Metta Medical LLC
 1088 Howard Street
 San Francisco, CA 94103
 A12-18-0000036-TEMP

SAMPLE INFORMATION

Sample No.: 1024384
Product Name: Level - THCA Protab - PT190318THCA
Matrix: Concentrate (Tablet)
Batch #: PT190318THCA
Product-Batch Size (Units): 5000

Sample Increments: 20
Sample Weight / Increment (g): 1.75
Total Sample Weight (g): 35
Date Collected: 04/04/2019
Date Received: 04/05/2019
Date Reported: 04/11/2019

TEST SUMMARY

Cannabinoid Profile: ✔ Pass
Microbiological Screen: ✔ Pass
Pesticide Residue Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass
Residual Solvent Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Other Analyses: ✔ Pass
Overall: ✔ Pass

CANNABINOID PROFILE ✔ Pass

Method: American Herbal Pharmacopoeia
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Quantitation 1.0 mg/g
Limit of Detection 0.4 mg/g

Analyte	mg/g	%	mg/serving	mg/package	Listed Value (mg/g)	% Difference	Status
δ8 THC	ND	ND	0	0	-	-	-
δ9 THC	26.49	2.649	4.52979	45.2979	40.936	35.289	-
THCV	ND	ND	0	0	-	-	-
THCVA	ND	ND	0	0	-	-	-
THCA	131.97	13.197	22.5669	225.669	146.199	9.733	-
CBD	ND	ND	0	0	-	-	-
CBDA	ND	ND	0	0	-	-	-
CBC	1.16	0.116	0.19836	1.9836	-	-	-
CBCA	2.4	0.24	0.4104	4.104	-	-	-
CBDV	ND	ND	0	0	-	-	-
CBG	ND	ND	0	0	-	-	-
CBGA	1.97	0.197	0.33687	3.3687	-	-	-
CBN	ND	ND	0	0	-	-	-
Total THC	142.228	14.223	24.321	243.21	-	-	Pass
Total CBD	0	0	0	0	-	-	-
Total Cannabinoids	163.99	16.399	28.0423	280.423	-	-	-
Total Active Cannabinoids	147.22	14.722	25.1746	251.746	-	-	-

Label Claims THC: 70mg - THCA: 250mg
Measured Serving Weight (g) 0.171
Servings / Unit 10

MICROBIOLOGICAL SCREEN ✔ Pass

Analysis	Method	Findings	Limit	Status
Salmonella	AOAC 2016.01	Negative/1g	ND in 1g	Pass
STEC	EC Mug	Negative/1g	ND in 1g	Pass

04/09/2019

PESTICIDE RESIDUE SCREEN ✔ Pass

Method: MF 21P030
Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.0	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass

04/10/2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.0	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.0	Pass
Chlorfenapyr	0.04/0.10	ND	0.0	Pass
Chlorpyrifos	0.04/0.10	ND	0.0	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.0	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.0	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.0	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.0	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.0	Pass
Etofenprox	0.04/0.10	ND	0.0	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.0	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.0	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.0	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.0	Pass
Methomyl	0.04/1.00	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.0	Pass
Mevinphos	0.04/0.10	ND	0.0	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.50/1.50	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclbutrazol	0.04/0.10	ND	0.0	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.50/1.50	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.0	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.0	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.0	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass

RESIDUAL SOLVENT SCREEN ✔ Pass

04/10/2019

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass
Acetone	17/75	ND	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1.0	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1.0	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1.0	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	ND	5000	Pass
Methanol	6/25	ND	3000	Pass
Methylene Chloride	0.40/1.00	ND	1.0	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1.0	Pass

HEAVY METAL SCREEN ✔ Pass

04/09/2019

Method: MF 24E020

Instrument: ICP-MS

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3.0	Pass
Lead	0.02/0.05	0.08	0.5	Pass

MYCOTOXIN SCREEN ✔ Pass

04/10/2019

Method: MF 21P030

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND	20	Pass

OTHER ANALYSES ✔ Pass

Analyte	Method	Instrument	Findings	Date Completed	Limit	Status
Water Activity	MF 14G051	Decagon	0.414	04/08/2019	0.85	Pass
Sand, Soils, Cinders, and Dirt	Visual	n/a	0	04/08/2019	25 %	Pass
Mold	Visual	n/a	0	04/08/2019	25 %	Pass
Imbedded Foreign Material	Visual	n/a	0	04/08/2019	25 %	Pass
Insect Fragment	Visual	n/a	0	04/08/2019	1	Pass
Hair	Visual	n/a	0	04/08/2019	1	Pass
Mammalian Excreta	Visual	n/a	0	04/08/2019	1	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13)

Reported by


 George Wharam
 Analyst

April 11, 2019



Scan to verify