

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

DISTRIBUTOR:

Metta Medical
[REDACTED]
C11-0001250-LIC

CULTIVATOR / MANUFACTURER:

Metta Medical
[REDACTED]
CDPH-10004472



SAMPLE INFORMATION

Sample No.: 1097178
Product Name: Level - Sativa Protab 100 - 100PT210825d9S2
Matrix: Concentrate (Orally Consumed Concentrate)
Batch #: 100PT210825d9S2
Product-Batch Size (Units): 8469

Sample Increments: 28
Sample Weight / Increment (g): 508
Total Sample Weight (g): 14,224
Date Collected: 10/08/2021
Date Received: 10/08/2021
Date Reported: 10/13/2021

TEST SUMMARY

Cannabinoid Profile: ✔ Pass
Pesticide Residue Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass
Overall: ✔ Pass

Microbiological Screen: ✔ Pass
Residual Solvent Screen: ✔ Pass
Foreign Material: ✔ Pass
Water Activity: ✔ Pass

Cannabinoid Profile ✔ Pass

10/12/2021

Method: MF12D012
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantification 0.8 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
Δ8-THC	ND	ND	ND	ND	-
Δ9-THC	194.49	19.449	97.32	97.32	Pass
Δ9-THCA	ND	ND	ND	ND	-
THCV	1.16	0.116	0.58	0.58	-
THCVA	ND	ND	ND	ND	-
CBD	<LOQ	<LOQ	<LOQ	<LOQ	-
CBDA	ND	ND	ND	ND	-
CBC	3.61	0.361	1.81	1.81	-
CBCA	ND	ND	ND	ND	-
CBDV	ND	ND	ND	ND	-
CBG	4.92	0.492	2.46	2.46	-
CBGA	ND	ND	ND	ND	-
CBN	2.96	0.296	1.48	1.48	-
Total THC	194.49	19.449	97.32	97.32	-
Total CBD	ND	ND	ND	ND	-
Total Cannabinoids	207.14	20.714	103.66	103.66	-
Total Active Cannabinoids	207.14	20.714	103.66	103.66	-
Serving Weight (g)	0.5004				
Package Weight (g)	0.5004				

Microbiological Screen ✔ Pass

10/12/2021

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/1g	Pass
STEC	3M MDS STEC/EAE	Negative/1g	Pass

Pesticide Residue Screen ✔ Pass

10/13/2021

Method: MF 21P030
Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.20/0.06	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorovous)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxanil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0.30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen ✔ Pass

10/13/2021

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.10/1.00	ND	1	Pass
Acetone	50/150	ND	5000	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acetonitrile	4/12	ND	410	Pass
Benzene	0.10/1.00	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.10/1.00	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	27/80	ND	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.50/1.00	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	ND	5000	Pass
Methanol	50/150	ND	3000	Pass
Methylene chloride	0.50/1.00	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND	2170	Pass
Trichloroethylene	0.10/1.00	ND	1	Pass

Heavy Metal Screen ✓ Pass

10/11/2021

Method: MF 24E020

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	15	Pass
Cadmium	0.02/0.05	ND	05	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	05	Pass

Foreign Material ✓ Pass

10/11/2021

Method: Visual

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen ✓ Pass

10/13/2021

Method: MF 21P030

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	1/5	ND	-	-
Aflatoxin B2	1/5	ND	-	-
Aflatoxin G1	1/5	ND	-	-
Aflatoxin G2	1/5	ND	-	-
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND	20	Pass

Water Activity

10/11/2021

Method: MF 14G051

Instrument: Decagon

Analyte	Findings	Limit	Status
Water Activity	0.33	0.85	Pass

() = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

All LQC samples were performed and met the prescribed acceptance criteria in
16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13)

Reported by

 

Vu Lam
Lab Co Director
October 13, 2021



Scan to verify