

#### ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



### DISTRIBUTOR:

Metta Medical

C11-0001250-LIC

Matrix

Batch #:

Overall:

### **CULTIVATOR / MANUFACTURER:**

Metta Medical

CDPH-10004472

### SAMPLE INFORMATION

Sample No.:

Level - Sativa Protab 100 -100PT220623d9S **Product Name:** 

Concentrate (Orally Consumed Concentrate) 100PT220623d9S

Product-Batch Size (Units): 2688

Source UID: 1A4060300020081000001338

Sample Increments: 13 Sample Weight / Increment (g): 5.41 Total Sample Weight (g): Date Collected: 70.33 06/28/2022 Date Received: 06/28/2022

TEST SUMMARY

@ Pass **Cannabinoid Profile:** Pesticide Residue Screen: @ Pass Heavy Metal Screen: C Pass Mycotoxin Screen:

**Pass** 

Microbiological Screen:

Date Reported:

Residual Solvent Screen: **Pass Pass** Foreign Material: **Pass** 

Water Activity:

07/01/2022

07/01/2022

@ Pass

### Cannabinoid Profile Pass

Method: MF-CHEM-15

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

**Limit of Detection** 0.1333 mg/g Limit of Quantification 0.4 mg/g

| Cannabinoid         | mg/g  | %   | mg/serving  | mg/package                    | Status         |
|---------------------|---|---|---|-------------------------------|----------------|
| Δ8-THC              | ND  | ND  | ND  | ND                            | 9)             |
| Δ9-THC              | 176.11  | 17.611  | 92.00   | 919.98                        | Pass           |
| Δ9-THCA             | ND  | ND  | ND  | ND                            | ¥              |
| THCV                | 1.08  | 0.108   | 0 57  | 5.65                          | 2              |
| THCVA               | ND  | ND  | ND  | ND                            | *              |
| CBD                 | <loq< td=""><td><l0q< td=""><td><loq< td=""><td><loq< td=""><td>٥</td></loq<></td></loq<></td></l0q<></td></loq<> | <l0q< td=""><td><loq< td=""><td><loq< td=""><td>٥</td></loq<></td></loq<></td></l0q<> | <loq< td=""><td><loq< td=""><td>٥</td></loq<></td></loq<> | <loq< td=""><td>٥</td></loq<> | ٥              |
| CBDA                | ND  | ND  | ND  | ND                            | E              |
| CBC                 | 426   | 0.426   | 2 23  | 22 27                         | 8              |
| CBCA                | ND  | ND  | ND  | ND                            | <del>5</del> ) |
| CBDV                | ND  | ND  | ND  | ND                            | 쓸              |
| CBG                 | 7.11  | 0.711   | 3.71  | 37.15                         | 5              |
| CBGA                | ND  | ND  | ND  | ND                            | ¥              |
| CBN                 | 1.13  | 0.113   | 0 59  | 5,90                          | €              |
| Total THC           | 176.11  | 17.611  | 92.00   | 919.98                        | *              |
| Total CBD           | ND  | ND  | ND  | ND                            | 2)             |
| Total Cannabinoids  | 189.69  | 18.969  | 99.09   | 990.94                        | €              |
| Sum of Cannabinoids | 189,69  | 18.969  | 99.09   | 990.94                        | <b>2</b>       |
| Serving Weight (g)  | 0.5224  |   |   |                               |                |
| Package Weight (g)  | 5.22  |   |   |                               |                |

## Microbiological Screen Pass



07/01/2022

| Analyte    | Method          | Findings    | Status |  |
|------------|-----------------|-------------|--------|--|
| Salmonella | AOAC 2016.01    | Negative/1g | Pass   |  |
| STEC       | 3M MDS STEC/EAE | Negative/1g | Pass   |  |

## Pesticide Residue Screen Pass

07/01/2022

MF-CHEM-13 Method:

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte     | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------|----------------|-----------------|--------------|--------|
| Abamectin   | 0.04/0.10      | ND              | 0.3          | Pass   |
| Acephate    | 0.02/0.06      | ND              | 5.0          | Pass   |
| Acequinocyl | 0.04/0.10      | ND              | 4.0          | Pass   |
| Acetamiprid | 0.02/0.06      | ND              | 5.0          | Pass   |

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1131343 Batch #: 100PT220623d9S

Page 1 of 4 Report ID: S-2



| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Statu |
|-------------------------|----------------|-----------------|--------------|-------|
| Aldicarb                | 0.02/0.06      | ND              | 0.02         | Pass  |
| Azoxystrobin            | 0.02/0.06      | ND              | 40.0         | Pass  |
| Bifenazate              | 0.02/0.06      | ND              | 5.0          | Pass  |
| Bifenthrin              | 0.04/0.10      | ND              | 0.5          | Pass  |
| Boscalid                | 0.02/0.06      | ND              | 10.0         | Pass  |
| Captan                  | 0 2/0.6        | ND              | 5.0          | Pass  |
| Carbaryl                | 0.02/0.06      | ND              | 0.5          | Pass  |
| Carbofuran              | 0.02/0.06      | ND              | 0.02         | Pass  |
| Chlorantraniliprole     | 0.02/0.06      | ND              | 40.0         | Pass  |
| Chlordane               | 0.02/0.06      | ND              | 0.02         | Pass  |
| Chlorfenapyr            | 0.02/0.08      | ND              | 0.02         | Pass  |
|                         |                |                 |              |       |
| Chlorpyrifos            | 0.02/0.06      | ND              | 0.02         | Pass  |
| Clofentezine            | 0.02/0.06      | ND              | 0.5          | Pass  |
| Coumaphos               | 0.02/0.06      | ND              | 0.02         | Pass  |
| Cyfluthrin              | 0.10/0 30      | ND              | 1.0          | Pass  |
| Cypermethrin            | 0.10/0 30      | ND              | 1.0          | Pass  |
| Daminozide              | 0.02/0.06      | ND              | 0.02         | Pass  |
| DDVP (Dichlorvos)       | 0.02/0.06      | ND              | 0.02         | Pass  |
| Diazinon                | 0.02/0.06      | ND              | 0.2          | Pass  |
| Dimethoate              | 0.02/0.06      | ND              | 0.02         | Pass  |
| Dimethomorph            | 0.02/0.06      | ND              | 20.0         | Pass  |
| Ethoprop(hos)           | 0.02/0.06      | ND              | 0.02         | Pass  |
| Etofenprox              | 0.02/0.06      | ND              | 0.02         | Pass  |
| Etoxazole               | 0.02/0.06      | ND              | 1.5          | Pass  |
| Fenhexamid              | 0.02/0.06      | ND              | 10.0         | Pass  |
| Fenoxycarb              | 0.02/0.06      | ND              | 0.02         | Pass  |
|                         |                |                 |              |       |
| Fenpyroximate           | 0.02/0.06      | ND              | 2.0          | Pass  |
| Fipronil                | 0.02/0.06      | ND              | 0.02         | Pass  |
| Flonicamid              | 0.02/0.06      | ND              | 2.0          | Pass  |
| Fludioxonil             | 0.02/0.06      | ND              | 30.0         | Pass  |
| Hexythiazox             | 0.02/0.06      | ND              | 2.0          | Pass  |
| Imazalil                | 0.02/0.06      | ND              | 0.02         | Pass  |
| Imidacloprid            | 0.02/0.06      | ND              | 3.0          | Pass  |
| Kresoxim Methyl         | 0.02/0.06      | ND              | 1.0          | Pass  |
| Malathion               | 0.02/0.06      | ND              | 5.0          | Pass  |
| Metalaxyl               | 0.02/0.06      | ND              | 15.0         | Pass  |
| Methiocarb              | 0.02/0.06      | ND              | 0.02         | Pass  |
| Methomyl                | 0.02/0.06      | ND              | 0.1          | Pass  |
| Methyl parathion        | 0.02/0.06      | ND              | 0.02         | Pass  |
| Mevinphos               | 0.02/0.06      | ND              | 0.02         | Pass  |
| Myclobutanil            | 0.02/0.06      | ND              | 9.0          | Pass  |
| Naled                   |                | ND              |              |       |
|                         | 0.02/0.06      |                 | 0.5          | Pass  |
| Oxamyl                  | 0.02/0.06      | ND              | 0.2          | Pass  |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.02         | Pass  |
| Pentachloronitrobenzene | 0.04/0.10      | ND              | 0.2          | Pass  |
| Permethrins             | 0.10/0 30      | ND              | 20.0         | Pass  |
| Phosmet                 | 0.02/0.06      | ND              | 0.2          | Pass  |
| Piperonyl Butoxide      | 0.02/0.06      | ND              | 8.0          | Pass  |
| Prallethrin             | 0.04/0.10      | ND              | 0.4          | Pass  |
| Propiconazole           | 0.02/0.06      | ND              | 20.0         | Pass  |
| Propoxur                | 0.02/0.06      | ND              | 0.02         | Pass  |
| Pyrethrins              | 0.10/0 30      | ND              | 1.0          | Pass  |
| Pyridaben               | 0.02/0.06      | ND              | 3.0          | Pass  |
| Spinetoram              | 0.02/0.06      | ND              | 3.0          | Pass  |
| Spinosad                | 0.02/0.06      | ND              | 3.0          | Pass  |
| (A*(A)) =               |                |                 |              |       |
| Spiromesifen            | 0.04/0.10      | ND              | 12.0         | Pass  |
| Spirotetramat           | 0.02/0.06      | ND              | 13.0         | Pass  |
| Spiroxamine             | 0.02/0.06      | ND              | 0.02         | Pass  |
| Tebuconazole            | 0.02/0.06      | ND              | 2.0          | Pass  |
| Thiacloprid             | 0.02/0.06      | ND              | 0.02         | Pass  |
| Thiamethoxam            | 0.02/0.06      | ND              | 4,5          | Pass  |
| Trifloxystrobin         | 0.02/0.06      | ND              | 30.0         | Pass  |

Residual Solvent Screen Pass

07/01/2022

USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte            | LOD/LOQ(ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------|--------------|----------------|-------------|--------|
| 1,2-Dichloroethane | 0 2/0.5      | ND             | 1           | Pass   |

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1131343 Batch #: 100PT220623d9S Page 2 of 4

Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure  $under applicable \ law. \ If you have received \ this \ document in error, please immediately \ notify \ us \ and \ return it to the \ address \ listed \ above.$ 



| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| Acetone                              | 67/200        | ND             | 5000        | Pass   |
| Acetonitrile                         | 67/200        | ND             | 410         | Pass   |
| Benzene                              | 0 2/0.5       | ND             | 1           | Pass   |
| n-Butane                             | 67/200        | ND             | 5000        | Pass   |
| Chloroform                           | 0 2/0.5       | ND             | 1           | Pass   |
| Ethanol                              | 67/200        | ND             | 5000        | Pass   |
| Ethyl acetate                        | 67/200        | ND             | 5000        | Pass   |
| Ethyl ether                          | 67/200        | ND             | 5000        | Pass   |
| Ethylene oxide                       | 0 2/0.5       | ND             | 1           | Pass   |
| n-Heptane                            | 67/200        | ND             | 5000        | Pass   |
| n-Hexane                             | 67/200        | ND             | 290         | Pass   |
| Isopropyl alcohol                    | 67/200        | ND             | 5000        | Pass   |
| Methanol                             | 67/200        | ND             | 3000        | Pass   |
| Methylene chloride                   | 0 2/0.5       | ND             | 1           | Pass   |
| n-Pentane                            | 67/200        | ND             | 5000        | Pass   |
| Propane                              | 67/200        | ND.            | 5000        | Pass   |
| Toluene                              | 67/200        | ND             | 890         | Pass   |
| Total xylenes (ortho-, meta-, para-) | 67/200        | ND             | 2170        | Pass   |
| Trichloroethylene                    | 0 2/0.5       | ND             | 1           | Pass   |

Heavy Metal Screen Pass

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05      | ND              | 1,5          | Pass   |
| Cadmium | 0.02/0.05      | ND              | 0.5          | Pass   |
| Mercury | 0.02/0.05      | ND              | 3            | Pass   |
| Lead    | 0.02/0.05      | ND              | 0.5          | Pass   |

Foreign Material Pass 07/01/2022

Method: MF-MACRO-5

| Analyte                        | Findings | Limit    | Status |  |
|--------------------------------|----------|----------|--------|--|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |  |
| Mold                           | ND       | 25%      | Pass   |  |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |  |
| Insect Fragment                | ND       | 1 per 3g | Pass   |  |
| Hair                           | ND       | 1 per 3g | Pass   |  |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |  |

Mycotoxin Screen Pass 07/01/2022

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1     | 2/5             | ND               | _             | 525    |
| Aflatoxin B2     | 2/5             | ND               | ā             | 250    |
| Aflatoxin G1     | 2/5             | ND               | <u> </u>      | 125    |
| Aflatoxin G2     | 2/5             | ND               | ā             | 875    |
| Total Aflatoxins | 8/20            | ND               | 20            | Pass   |
| Ochratoxin A     | 6/20            | ND               | 20            | Pass   |

Water Activity 06/30/2022

Method: MF 14G051 Instrument: Decagon

Analyte Findings Limit Status
Water Activity 032 085 Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1131343 Batch #: 100PT220623d9S Page 3 of 4 Report ID: S-2

07/01/2022



Total THC =  $\Delta$ 9-THC + (0.877 \*  $\Delta$ 9-THCA) Total CBD = CBD + (0877 \* CBDA)

( ) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) + [0.877 \*  $\Sigma$  (acidic cannabinoids)]

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19. Chapter 6. Article 7. §15730. pursuant to §15726.(e)(13).

Lab Co Director

July 01, 2022

