

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

DISTRIBUTOR:

Metta Medical
[Redacted]
C11-0001250-LIC

MANUFACTURER:

Metta Medical
[Redacted]
CDPH-10004472



SAMPLE INFORMATION

Sample No.: 1265899
Product Name: Level - Indica Protab 100 - CA100PT241204d9I2
Matrix: Concentrate (Orally Consumed Concentrate) CA100PT241204d9I2
Lot #: 2081
Product-Batch Size (Units): 2081
Source UID: 1A4060300020081000005127

Sample Increments: 13
Sample Weight / Increment (g): 5
Total Sample Weight (g): 65
Date Collected: 12/18/2024
Date Received: 12/18/2024
Date Reported: 12/26/2024

TEST SUMMARY

Cannabinoid Profile:	✔ Pass	Microbiological Screen:	✔ Pass
Pesticide Residue Screen:	✔ Pass	Residual Solvent Screen:	✔ Pass
Heavy Metal Screen:	✔ Pass	Foreign Material:	✔ Pass
Mycotoxin Screen:	✔ Pass	Water Activity:	✔ Pass
Overall:	✔ Pass		

Cannabinoid Profile ✔ Pass

12/23/2024

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.27 mg/g
Limit of Quantitation 0.8 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
Δ8-THC	ND	ND	ND	ND	-
Δ9-THC	195.06	19.506	98.02	980.19	Pass
Δ9-THCA	ND	ND	ND	ND	-
THCV	1.37	0.137	0.69	6.89	-
THCVA	ND	ND	ND	ND	-
CBD	<LOQ	<LOQ	<LOQ	<LOQ	-
CBDA	ND	ND	ND	ND	-
CBC	2.62	0.262	1.32	13.19	-
CBCA	ND	ND	ND	ND	-
CBDV	ND	ND	ND	ND	-
CBG	6.27	0.627	3.15	31.50	-
CBGA	ND	ND	ND	ND	-
CBN	2.19	0.219	1.10	11.02	-
Total THC	195.06	19.506	98.02	980.19	-
Total CBD	<LOQ	<LOQ	<LOQ	<LOQ	-
Total Cannabinoids	207.52	20.752	104.28	1042.79	-
Sum of Cannabinoids	207.52	20.752	104.28	1042.79	-
Serving Weight (g)	0.5025				
Package Weight (g)	5.02				

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen ✔ Pass

12/23/2024

Analyte	Method	Findings	Units	Status
Salmonella	MF-MICRO-11	Not Detected	/1g	Pass
STEC	MF-MICRO-18	Not Detected	/1g	Pass

Pesticide Residue Screen ✔ Pass

12/23/2024

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen ✔ Pass

12/23/2024

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

12/23/2024

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.125	ND	0.5	Pass

Foreign Material ✔ Pass

12/23/2024

Method: MF-CHEM-7

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen ✔ Pass

12/23/2024

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Water Activity

12/23/2024

Method: MF-CHEM-14

Instrument: Water Activity Meter

Analyte	Findings	Limit	Status
Water Activity	0.49	0.85	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19, Chapter 6, Article 7, §15730, pursuant to §15726.(e)(13).

Reported by



Zachary Eisenberg
Vice President

December 26, 2024



Scan to verify