

## **Regulatory Compliance Testing**

#### **ANALYZED BY:**

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



### **DISTRIBUTOR:**

Metta Medical LLC

C12-0000071-LIC

### **CULTIVATOR / MANUFACTURER:**

Metta Medical LLC

C12-0000071-LIC

### **SAMPLE INFORMATION**

Sample No.: Level - Indica Protab -25PT200930d9I3 **Product Name:** Concentrate (Orally Matrix:

Consumed Concentrate) 25PT200930d9I3

Product-Batch Size (Units): 22960

32 **Sample Increments:** Sample Weight / Increment (g): 1.75 Total Sample Weight (g): 56

12/08/2020 **Date Collected: Date Received:** 12/09/2020 Date Reported: 12/11/2020

### **TEST SUMMARY**

Batch #:

**Cannabinoid Profile:** Pass Pass Pesticides Residue Screen: Pass **Heavy Metals Screen:** Pass Other Analyses:

Pass Microbiological Screen: Pass **Residual Solvent Screen:** Pass **Mycotoxins Screen:** Pass Overall:

12/10/2020

## **CANNABINOID PROFILE** Pass

MF12D012

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Quantitation 0.4 mg/g **Limit of Detection** 0.1332 mg/g

Method:

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
Δ8-ΤΗС	ND	ND	ND	ND	-
Δ9-ΤΗС	138.19	13.819	24.35	243.50	-
Δ9-ΤΗCΑ	ND	ND	ND	ND	-
THCV	1.11	0.111	0.20	1.96	-
THCVA	ND	ND	ND	ND	-
CBD	0.43	0.043	0.08	0.76	-
CBDA	ND	ND	ND	ND	-
CBC	2.64	0.264	0.47	4.66	-
CBCA	ND	ND	ND	ND	-
CBDV	ND	ND	ND	ND	-
CBG	3.77	0.377	0.66	6.65	-
CBGA	ND	ND	ND	ND	-
CBN	3.42	0.342	0.60	6.03	-
Total THC	138.19	13.819	24.35	243.50	Pass
Total CBD	0.43	0.043	0.08	0.76	-
Total Cannabinoids	149.58	14.958	26.36	263.56	-
Total Active Cannabinoids	149.58	14.958	26.36	263.56	-

**Measured Serving** 

Weight (g)

## MICROBIOLOGICAL SCREEN Pass

12/11/2020

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/1g	Pass
STEC	3M MDS STEC/EAE	Negative/1g	Pass

## **PESTICIDES RESIDUE SCREEN** Pass

0.1762

12/10/2020

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass

Anresco Laboratories www.anresco.com

1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1065782 Batch #: 25PT200930d9I3 page 1 of 3



# **Regulatory Compliance Testing**

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (μg/g)	Status
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorvous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND ND	0.2	Pass
Dimethoate	0.04/0.10	ND ND	0.04	Pass
Dimethomorph	0.04/0.10	ND ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND ND	0.04	Pass
Etofenprox	0.04/0.10	ND ND	0.04	Pass
Etoxazole	0.04/0.10	ND ND	1.5	Pass
Fenhexamid	0.04/0.10	ND ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND ND	0.04	Pass
•			2.0	
Fenpyroximate	0.04/0.10	ND ND		Pass
Fipronil	0.04/0.10	ND ND	0.04	Pass
Flonicamid	0.04/0.10	ND ND	2.0	Pass
Fludioxanil	0.04/0.10	ND NB	30.0	Pass
Hexythiazox	0.04/0.10	ND NB	2.0	Pass
Imazalil	0.04/0.10	ND ND	0.04	Pass
Imidacloprid	0.04/0.10	ND ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND ND	1.0	Pass
Malathion	0.20/0.50	ND ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.25	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiaclorprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass
<b>)</b>			= - · <del>-</del>	

**RESIDUAL SOLVENT SCREEN** Pass

12/10/2020

USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1065782 Batch #: 25PT200930d9I3 page **2** of **3** 



## **Regulatory Compliance Testing**

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acetone	17/75	ND	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	<loq< td=""><td>5000</td><td>Pass</td></loq<>	5000	Pass
Methanol	6/25	ND	3000	Pass
Methylene Chloride	0.40/1.00	ND	1	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1	Pass

12/10/2020 **HEAVY METALS SCREEN** Pass

Method: MF 24E020

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

12/10/2020 **MYCOTOXINS SCREEN OP** Pass

Method: MF 21P030

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	1/5	ND	-	-
Afalatoxin B2	1/5	ND	-	-
Aflatoxin G1	1/5	ND	-	-
Aflatoxin G2	1/5	ND	-	-
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND	20	Pass

12/09/2020 **OTHER ANALYSES** Pass

Analyte	Method	Instrument	Findings	Date Completed	Limit	Status
Sand, Soils, Cinders, and Dirt	Visual	-	ND	12/09/2020	25%	Pass
Mold	Visual	-	ND	12/09/2020	25%	Pass
Imbedded Foreign Material	Visual	-	ND	12/09/2020	25%	Pass
Insect Fragment	Visual	-	ND	12/09/2020	1 per 3g	Pass
Hair	Visual	-	ND	12/09/2020	1 per 3g	Pass
Mammalian Excreta	Visual	-	ND	12/09/2020	1 per 3g	Pass
Water Activity	MF 14G051	Decagon	0.41	12/09/2020	0.85	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13)

Reported by

Vu Lam Lab Co Director

December 11, 2020



Scan to verify

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1065782

Batch #: 25PT200930d9I3