Regulatory Compliance Testing

ANALYZED BY:
Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

DISTRIBUTOR:
Metta Medical
[redacted]
C11-0001250-LIC

MANUFACTURER:
Metta Medical
[redacted]
DCC-10004472



SAMPLE INFORMATION

Sample No.:	1447109	**Sample Increments:**	2 of 5.9, 18 of 0.6
Product Name:	Level - Indica Hashtab 100 - CA100HT260422d9I2	**Sample Weight / Increment (g):**	5.9 ; 0.6
Matrix:	Concentrate (Other)	**Total Sample Weight (g):**	22.6
Lot #:	CA100HT260422d9I2	**Date Collected:**	10/01/2026
Product-Batch Size (Units):	9863	**Date Received:**	10/01/2026
Source UID:	1A4060300020081000007859 ; 1A4060300020081000007935	**Date Reported:**	10/06/2026

TEST SUMMARY

Cannabinoid Profile:	Pass	**Microbiological Screen:**	Pass
Pesticide Residue Screen:	Pass	**Residual Solvent Screen:**	Pass
Heavy Metal Screen:	Pass	**Foreign Material:**	Pass
Mycotoxin Screen:	Pass	**Water Activity:**	Pass
Overall:	Pass		

Cannabinoid Profile Pass

10/06/2026

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.2666 mg/g
Limit of Quantitation 0.8000 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
Δ8-THC	ND	ND	ND	ND / ND	-
Δ9-THC	131.08	13.108	90.58	905.78 / 90.58	Pass
Δ9-THCA	0.89	0.089	0.62	6.17 / 0.62	-
THCV	0.95	0.095	0.66	6.60 / 0.66	-
THCVA	ND	ND	ND	ND / ND	-
CBD	ND	ND	ND	ND / ND	-
CBDA	ND	ND	ND	ND / ND	-
CBC	3.62	0.362	2.50	25.00 / 2.50	-
CBCA	ND	ND	ND	ND / ND	-
CBDV	0.84	0.084	0.58	5.79 / 0.58	-
CBG	4.82	0.482	3.33	33.30 / 3.33	-
CBGA	ND	ND	ND	ND / ND	-
CBN	6.25	0.625	4.32	43.17 / 4.32	-
Total THC	131.87	13.187	91.12	911.19 / 91.12	-
Total CBD	ND	ND	ND	ND	-
Total Cannabinoids	148.34	14.834	102.50	1025.04 / 102.50	-
Sum of Cannabinoids	148.45	14.845	102.58	1025.8 / 102.58	-
Serving Weight (g)	0.6910				
Package Weight (g)	6.91 / 0.69				

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen Pass

10/06/2026

Regulatory Standard* DCC

Analyte	Method	Instrument	Findings	Units	Status
Salmonella	MF-MICRO-11	Molecular Detection Assay	Not Detected	/1g	Pass
STEC	MF-MICRO-18	Molecular Detection Assay	Not Detected	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Pesticide Residue Screen ✔ Pass

10/06/2026

Method: MF-CHEM-13

Regulatory Standard* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Abamectin	0.040/0.100	ND	0.3	Pass
Acephate	0.020/0.060	ND	5.0	Pass
Acequinocyl	0.040/0.100	ND	4.0	Pass
Acetamiprid	0.017/0.050	ND	6.5	Pass
Aldicarb	0.020/0.060	ND	0.10	Pass
Azoxystrobin	0.020/0.060	ND	40.0	Pass
Bifenazate	0.020/0.060	ND	6.5	Pass
Bifenthrin	0.040/0.100	ND	2.0	Pass
Boscalid	0.020/0.060	ND	14.0	Pass
Captan	0.200/0.600	ND	6.5	Pass
Carbaryl	0.020/0.060	ND	0.50	Pass
Carbofuran	0.017/0.050	ND	0.10	Pass
Chlorantraniliprole	0.020/0.060	ND	40.0	Pass
Chlordane	0.020/0.060	ND	0.10	Pass
Chlorfenapyr	0.020/0.060	ND	0.10	Pass
Chlorpyrifos	0.020/0.060	ND	0.10	Pass
Clofentezine	0.020/0.060	ND	0.85	Pass
Coumaphos	0.020/0.060	ND	0.10	Pass
Cyfluthrin	0.100/0.300	ND	1.0	Pass
Cypermethrin	0.100/0.300	ND	1.0	Pass
Daminozide	0.017/0.050	ND	0.10	Pass
DDVP (Dichlorvos)	0.013/0.040	ND	0.10	Pass
Diazinon	0.017/0.050	ND	0.20	Pass
Dimethoate	0.017/0.050	ND	0.10	Pass
Dimethomorph	0.017/0.050	ND	20.0	Pass
Ethoprop(hos)	0.020/0.060	ND	0.10	Pass
Etofenprox	0.020/0.060	ND	5.0	Pass
Etoxazole	0.020/0.060	ND	1.50	Pass
Fenhexamid	0.017/0.050	ND	25.0	Pass
Fenoxycarb	0.020/0.060	ND	0.10	Pass
Fenpyroximate	0.020/0.060	ND	4.0	Pass
Fipronil	0.020/0.060	ND	0.10	Pass
Flonicamid	0.020/0.060	ND	7.9	Pass
Fludioxonil	0.020/0.060	ND	30.0	Pass
Hexythiazox	0.020/0.060	ND	6.0	Pass
Imazalil	0.020/0.060	ND	0.10	Pass
Imidacloprid	0.020/0.060	ND	3.9	Pass
Kresoxim Methyl	0.020/0.060	ND	1.0	Pass
Malathion	0.017/0.050	ND	8.0	Pass
Metalaxyl	0.017/0.050	ND	15.0	Pass
Methiocarb	0.020/0.060	ND	0.10	Pass
Methomyl	0.013/0.040	ND	0.10	Pass
Methyl parathion	0.020/0.060	ND	0.10	Pass
Mevinphos	0.020/0.060	ND	0.10	Pass
Myclobutanil	0.020/0.060	ND	9.0	Pass
Naled	0.017/0.050	ND	0.50	Pass
Oxamyl	0.013/0.040	ND	0.20	Pass
Paclobutrazol	0.020/0.060	ND	0.10	Pass
Pentachloronitrobenzene	0.017/0.050	ND	1.0	Pass
Permethrins	0.100/0.300	ND	20.0	Pass
Phosmet	0.020/0.060	ND	0.20	Pass
Piperonyl Butoxide	0.017/0.050	ND	8.0	Pass
Prallethrin	0.040/0.100	ND	1.0	Pass
Propiconazole	0.020/0.060	ND	20.0	Pass
Propoxur	0.013/0.040	ND	0.10	Pass
Pyrethrins	0.150/0.500	ND	1.0	Pass
Pyridaben	0.017/0.050	ND	3.0	Pass
Spinetoram	0.020/0.060	ND	3.2	Pass
Spinosad	0.020/0.060	ND	3.2	Pass
Spiromesifen	0.040/0.100	ND	12.0	Pass
Spirotetramat	0.020/0.060	ND	13.0	Pass
Spiroxamine	0.017/0.050	ND	0.10	Pass
Tebuconazole	0.020/0.060	ND	2.0	Pass
Thiacloprid	0.013/0.040	ND	0.10	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Thiamethoxam	0.020/0.060	ND	4.5	Pass
Trifloxystrobin	0.020/0.060	ND	30.0	Pass

Residual Solvent Screen ✔ Pass

10/06/2026

Method: MF-CHEM-32

Regulatory Standard* DCC

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	<LOQ	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

10/06/2026

Method: MF-CHEM-16

Regulatory Standard* DCC

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)*	Status
Arsenic	0.033/0.101	ND	1.5	Pass
Cadmium	0.047/0.141	ND	0.5	Pass
Mercury	0.014/0.05	ND	3	Pass
Lead	0.107/0.324	ND	0.5	Pass

Foreign Material ✔ Pass

10/06/2026

Method: MF-CHEM-7

Regulatory Standard* DCC

Analyte	Findings	Limit*	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen ✔ Pass

10/06/2026

Method: MF-CHEM-13

Regulatory Standard* DCC

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)*	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Water Activity ✔ Pass

10/06/2026

Method: MF-CHEM-14

Instrument: Water Activity Meter

Analyte	Findings	Limit	Status
Water Activity	0.47	0.85	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19. Chapter 6. Article 7. §15730. pursuant to §15726.(e)(13).

Scan to verify

Reported by

Vu Lam
Lab Co Director
October 06, 2026

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.