

## ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

## DISTRIBUTOR:

Metta Medical  
C11-0001250-LIC

## MANUFACTURER:

Metta Medical  
DCC-10004472



## SAMPLE INFORMATION

**Sample No.:** 1431305  
**Product Name:** Level - Sativa Hashtab 100 - CA100HT260716d9S  
**Matrix:** Concentrate (Other)  
**Lot #:** CA100HT260716d9S  
**Product-Batch Size (Units):** 11130  
**Source UID:** 1A4060300020081000007933

**Sample Increments:** 32  
**Sample Weight / Increment (g):** 0.6  
**Total Sample Weight (g):** 19.2  
**Date Collected:** 07/23/2026  
**Date Received:** 07/23/2026  
**Date Reported:** 07/28/2026

## TEST SUMMARY

**Cannabinoid Profile:** ✔ Pass  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass  
**Overall:** ✔ Pass

**Microbiological Screen:** ✔ Pass  
**Residual Solvent Screen:** ✔ Pass  
**Foreign Material:** ✔ Pass  
**Water Activity:** ✔ Pass

## Cannabinoid Profile ✔ Pass

07/28/2026

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.27 mg/g  
**Limit of Quantitation** 0.8 mg/g

| Cannabinoid               | mg/g   | %      | mg/serving | mg/package | Status |
|---------------------------|--------|--------|------------|------------|--------|
| Δ8-THC                    | ND     | ND     | ND         | ND         | -      |
| Δ9-THC                    | 169.28 | 16.928 | 93.80      | 93.80      | Pass   |
| Δ9-THCA                   | 1.46   | 0.146  | 0.81       | 0.81       | -      |
| THCV                      | 1.00   | 0.100  | 0.55       | 0.55       | -      |
| THCVA                     | ND     | ND     | ND         | ND         | -      |
| CBD                       | ND     | ND     | ND         | ND         | -      |
| CBDA                      | ND     | ND     | ND         | ND         | -      |
| CBC                       | 2.92   | 0.292  | 1.62       | 1.62       | -      |
| CBCA                      | ND     | ND     | ND         | ND         | -      |
| CBDV                      | ND     | ND     | ND         | ND         | -      |
| CBG                       | 6.01   | 0.601  | 3.33       | 3.33       | -      |
| CBGA                      | <LOQ   | <LOQ   | <LOQ       | <LOQ       | -      |
| CBN                       | 3.71   | 0.371  | 2.06       | 2.06       | -      |
| Total THC                 | 170.56 | 17.056 | 94.51      | 94.51      | -      |
| Total CBD                 | ND     | ND     | ND         | ND         | -      |
| Total Cannabinoids        | 184.20 | 18.420 | 102.07     | 102.07     | -      |
| Sum of Cannabinoids       | 184.38 | 18.438 | 102.17     | 102.17     | -      |
| <b>Serving Weight (g)</b> | 0.5541 |        |            |            |        |
| <b>Package Weight (g)</b> | 0.5541 |        |            |            |        |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

07/28/2026

**Regulatory Standard\*** DCC

| Analyte    | Method      | Instrument                | Findings     | Units | Status |
|------------|-------------|---------------------------|--------------|-------|--------|
| Salmonella | MF-MICRO-11 | Molecular Detection Assay | Not Detected | /1g   | Pass   |
| STEC       | MF-MICRO-18 | Molecular Detection Assay | Not Detected | /1g   | Pass   |

**Pesticide Residue Screen** ✔ Pass

07/28/2026

**Method:** MF-CHEM-13

**Regulatory Standard\*** DCC

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|-------------------------|----------------|-----------------|---------------|--------|
| Abamectin               | 0.04/0.10      | ND              | 0.3           | Pass   |
| Acephate                | 0.02/0.06      | ND              | 5.0           | Pass   |
| Acequinocyl             | 0.04/0.10      | ND              | 4.0           | Pass   |
| Acetamiprid             | 0.017/0.05     | ND              | 5.0           | Pass   |
| Aldicarb                | 0.02/0.06      | ND              | 0.02          | Pass   |
| Azoxystrobin            | 0.02/0.06      | ND              | 40.0          | Pass   |
| Bifenazate              | 0.02/0.06      | ND              | 5.0           | Pass   |
| Bifenthrin              | 0.04/0.10      | ND              | 0.5           | Pass   |
| Boscalid                | 0.02/0.06      | ND              | 10.0          | Pass   |
| Captan                  | 0.2/0.6        | ND              | 5.0           | Pass   |
| Carbaryl                | 0.02/0.06      | ND              | 0.5           | Pass   |
| Carbofuran              | 0.017/0.05     | ND              | 0.017         | Pass   |
| Chlorantraniliprole     | 0.02/0.06      | ND              | 40.0          | Pass   |
| Chlordane               | 0.02/0.06      | ND              | 0.02          | Pass   |
| Chlorfenapyr            | 0.02/0.06      | ND              | 0.02          | Pass   |
| Chlorpyrifos            | 0.02/0.06      | ND              | 0.02          | Pass   |
| Clofentezine            | 0.02/0.06      | ND              | 0.5           | Pass   |
| Coumaphos               | 0.02/0.06      | ND              | 0.02          | Pass   |
| Cyfluthrin              | 0.10/0.30      | ND              | 1.0           | Pass   |
| Cypermethrin            | 0.10/0.30      | ND              | 1.0           | Pass   |
| Daminozide              | 0.017/0.05     | ND              | 0.017         | Pass   |
| DDVP (Dichlorvos)       | 0.013/0.04     | ND              | 0.013         | Pass   |
| Diazinon                | 0.017/0.05     | ND              | 0.2           | Pass   |
| Dimethoate              | 0.017/0.05     | ND              | 0.017         | Pass   |
| Dimethomorph            | 0.017/0.05     | ND              | 20.0          | Pass   |
| Ethoprop(hos)           | 0.02/0.06      | ND              | 0.02          | Pass   |
| Etofenprox              | 0.02/0.06      | ND              | 0.02          | Pass   |
| Etoxazole               | 0.02/0.06      | ND              | 1.5           | Pass   |
| Fenhexamid              | 0.017/0.05     | ND              | 10.0          | Pass   |
| Fenoxycarb              | 0.02/0.06      | ND              | 0.02          | Pass   |
| Fenpyroximate           | 0.02/0.06      | ND              | 2.0           | Pass   |
| Fipronil                | 0.02/0.06      | ND              | 0.02          | Pass   |
| Flonicamid              | 0.02/0.06      | ND              | 2.0           | Pass   |
| Fludioxonil             | 0.02/0.06      | ND              | 30.0          | Pass   |
| Hexythiazox             | 0.02/0.06      | ND              | 2.0           | Pass   |
| Imazalil                | 0.02/0.06      | ND              | 0.02          | Pass   |
| Imidacloprid            | 0.02/0.06      | ND              | 3.0           | Pass   |
| Kresoxim Methyl         | 0.02/0.06      | ND              | 1.0           | Pass   |
| Malathion               | 0.017/0.05     | ND              | 5.0           | Pass   |
| Metalaxyl               | 0.017/0.05     | ND              | 15.0          | Pass   |
| Methiocarb              | 0.02/0.06      | ND              | 0.02          | Pass   |
| Methomyl                | 0.013/0.04     | ND              | 0.1           | Pass   |
| Methyl parathion        | 0.02/0.06      | ND              | 0.02          | Pass   |
| Mevinphos               | 0.02/0.06      | ND              | 0.02          | Pass   |
| Myclobutanil            | 0.02/0.06      | ND              | 9.0           | Pass   |
| Naled                   | 0.017/0.05     | ND              | 0.5           | Pass   |
| Oxamyl                  | 0.013/0.04     | ND              | 0.2           | Pass   |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.02          | Pass   |
| Pentachloronitrobenzene | 0.017/0.05     | ND              | 0.2           | Pass   |
| Permethrins             | 0.10/0.30      | ND              | 20.0          | Pass   |
| Phosmet                 | 0.02/0.06      | ND              | 0.2           | Pass   |
| Piperonyl Butoxide      | 0.02/0.06      | ND              | 8.0           | Pass   |
| Prallethrin             | 0.04/0.10      | ND              | 0.4           | Pass   |
| Propiconazole           | 0.02/0.06      | ND              | 20.0          | Pass   |
| Propoxur                | 0.013/0.04     | ND              | 0.013         | Pass   |
| Pyrethrins              | 0.15/0.50      | ND              | 1.0           | Pass   |
| Pyridaben               | 0.017/0.05     | ND              | 3.0           | Pass   |
| Spinetoram              | 0.02/0.06      | ND              | 3.0           | Pass   |
| Spinosad                | 0.02/0.06      | ND              | 3.0           | Pass   |
| Spiromesifen            | 0.04/0.10      | ND              | 12.0          | Pass   |
| Spirotetramat           | 0.02/0.06      | ND              | 13.0          | Pass   |
| Spiroxamine             | 0.017/0.05     | ND              | 0.017         | Pass   |
| Tebuconazole            | 0.02/0.06      | ND              | 2.0           | Pass   |
| Thiacloprid             | 0.013/0.04     | ND              | 0.013         | Pass   |

| Analyte         | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|-----------------|----------------|-----------------|---------------|--------|
| Thiamethoxam    | 0.02/0.06      | ND              | 4.5           | Pass   |
| Trifloxystrobin | 0.02/0.06      | ND              | 30.0          | Pass   |

## Residual Solvent Screen ✔ Pass

07/28/2026

**Method:** MF-CHEM-32

**Regulatory Standard\*** DCC

**Instrument:** Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte                              | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|--------------------------------------|----------------|-----------------|---------------|--------|
| 1,2-Dichloroethane                   | 0.5/0.5        | ND              | 1             | Pass   |
| Acetone                              | 57/200         | ND              | 5000          | Pass   |
| Acetonitrile                         | 56/200         | ND              | 410           | Pass   |
| Benzene                              | 0.5/0.5        | ND              | 1             | Pass   |
| n-Butane                             | 45/200         | ND              | 5000          | Pass   |
| Chloroform                           | 0.5/0.5        | ND              | 1             | Pass   |
| Ethanol                              | 37/200         | ND              | 5000          | Pass   |
| Ethyl acetate                        | 38/200         | ND              | 5000          | Pass   |
| Ethyl ether                          | 37/200         | ND              | 5000          | Pass   |
| Ethylene oxide                       | 0.1/0.5        | ND              | 1             | Pass   |
| n-Heptane                            | 135/200        | ND              | 5000          | Pass   |
| n-Hexane                             | 49/200         | ND              | 290           | Pass   |
| Isopropyl alcohol                    | 57/200         | ND              | 5000          | Pass   |
| Methanol                             | 37/200         | ND              | 3000          | Pass   |
| Methylene chloride                   | 0.1/0.5        | ND              | 1             | Pass   |
| n-Pentane                            | 37/200         | ND              | 5000          | Pass   |
| Propane                              | 72/200         | ND              | 5000          | Pass   |
| Toluene                              | 49/200         | ND              | 890           | Pass   |
| Total xylenes (ortho-, meta-, para-) | 58/200         | ND              | 2170          | Pass   |
| Trichloroethylene                    | 0.5/0.5        | ND              | 1             | Pass   |

## Heavy Metal Screen ✔ Pass

07/28/2026

**Method:** MF-CHEM-16

**Regulatory Standard\*** DCC

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g)* | Status |
|---------|----------------|-----------------|---------------|--------|
| Arsenic | 0.033/0.101    | ND              | 1.5           | Pass   |
| Cadmium | 0.047/0.141    | ND              | 0.5           | Pass   |
| Mercury | 0.014/0.05     | ND              | 3             | Pass   |
| Lead    | 0.107/0.324    | <LOQ            | 0.5           | Pass   |

## Foreign Material ✔ Pass

07/28/2026

**Method:** MF-CHEM-7

**Regulatory Standard\*** DCC

| Analyte                        | Findings | Limit*   | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

07/28/2026

**Method:** MF-CHEM-13

**Regulatory Standard\*** DCC

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg)* | Status |
|------------------|-----------------|------------------|----------------|--------|
| Aflatoxin B1     | 2/5             | ND               | -              | -      |
| Aflatoxin B2     | 2/5             | ND               | -              | -      |
| Aflatoxin G1     | 2/5             | ND               | -              | -      |
| Aflatoxin G2     | 2/5             | ND               | -              | -      |
| Total Aflatoxins | 8/20            | ND               | 20             | Pass   |
| Ochratoxin A     | 6/18            | ND               | 20             | Pass   |

## Water Activity ✔ Pass

07/28/2026

**Method:** MF-CHEM-14

**Instrument:** Water Activity Meter

| Analyte        | Findings | Limit | Status |
|----------------|----------|-------|--------|
| Water Activity | 0.47     | 0.85  | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19, Chapter 6, Article 7, §15730, pursuant to §15726.(e)(13).

Reported by



Vu Lam  
Lab Co Director

July 28, 2026



Scan to verify