

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

DISTRIBUTOR:

Metta Medical
[Redacted]
C11-0001250-LIC

MANUFACTURER:

Metta Medical
[Redacted]
CDPH-10004472



SAMPLE INFORMATION

Sample No.: 1271105
Product Name: Level - Indica Rosintab - CA25RT241218d9I
Matrix: Concentrate (Orally Consumed Concentrate) CA25RT241218d9I
Lot #: 3077
Product-Batch Size (Units): 3077
Source UID: 1A4060300020081000005184

Sample Increments: 13
Sample Weight / Increment (g): 1.7
Total Sample Weight (g): 22.1
Date Collected: 01/14/2025
Date Received: 01/14/2025
Date Reported: 01/15/2025

TEST SUMMARY

| | | | |
|----------------------------------|--------|---------------------------------|--------|
| Cannabinoid Profile: | ✔ Pass | Microbiological Screen: | ✔ Pass |
| Pesticide Residue Screen: | ✔ Pass | Residual Solvent Screen: | ✔ Pass |
| Heavy Metal Screen: | ✔ Pass | Foreign Material: | ✔ Pass |
| Mycotoxin Screen: | ✔ Pass | Water Activity: | ✔ Pass |
| Overall: | ✔ Pass | | |

Cannabinoid Profile ✔ Pass

01/15/2025

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.1333 mg/g
Limit of Quantitation 0.4000 mg/g

| Cannabinoid | mg/g | % | mg/serving | mg/package | Status |
|---------------------------|--------|--------|------------|------------|--------|
| Δ8-THC | ND | ND | ND | ND | - |
| Δ9-THC | 149.47 | 14.947 | 25.74 | 257.39 | Pass |
| Δ9-THCA | <LOQ | <LOQ | <LOQ | <LOQ | - |
| THCV | 0.86 | 0.086 | 0.15 | 1.48 | - |
| THCVA | ND | ND | ND | ND | - |
| CBD | <LOQ | <LOQ | <LOQ | <LOQ | - |
| CBDA | ND | ND | ND | ND | - |
| CBC | 1.66 | 0.166 | 0.29 | 2.86 | - |
| CBCA | ND | ND | ND | ND | - |
| CBDV | ND | ND | ND | ND | - |
| CBG | 5.50 | 0.550 | 0.95 | 9.47 | - |
| CBGA | 1.11 | 0.111 | 0.19 | 1.92 | - |
| CBN | 0.61 | 0.061 | 0.10 | 1.05 | - |
| Total THC | 149.47 | 14.947 | 25.74 | 257.39 | - |
| Total CBD | <LOQ | <LOQ | <LOQ | <LOQ | - |
| Total Cannabinoids | 159.07 | 15.908 | 27.39 | 273.93 | - |
| Sum of Cannabinoids | 159.21 | 15.921 | 27.42 | 274.16 | - |
| Serving Weight (g) | 0.1722 | | | | |
| Package Weight (g) | 1.72 | | | | |

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen ✔ Pass

01/15/2025

| Analyte | Method | Findings | Units | Status |
|------------|-------------|--------------|-------|--------|
| Salmonella | MF-MICRO-11 | Not Detected | /1g | Pass |
| STEC | MF-MICRO-18 | Not Detected | /1g | Pass |

Pesticide Residue Screen ✔ Pass

01/15/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.02/0.06 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.017/0.05 | ND | 5.0 | Pass |
| Aldicarb | 0.02/0.06 | ND | 0.02 | Pass |
| Azoxystrobin | 0.02/0.06 | ND | 40.0 | Pass |
| Bifenazate | 0.02/0.06 | ND | 5.0 | Pass |
| Bifenthrin | 0.04/0.10 | ND | 0.5 | Pass |
| Boscalid | 0.02/0.06 | ND | 10.0 | Pass |
| Captan | 0.2/0.6 | ND | 5.0 | Pass |
| Carbaryl | 0.02/0.06 | ND | 0.5 | Pass |
| Carbofuran | 0.017/0.05 | ND | 0.017 | Pass |
| Chlorantraniliprole | 0.02/0.06 | ND | 40.0 | Pass |
| Chlordane | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorfenapyr | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorpyrifos | 0.02/0.06 | ND | 0.02 | Pass |
| Clofentezine | 0.02/0.06 | ND | 0.5 | Pass |
| Coumaphos | 0.02/0.06 | ND | 0.02 | Pass |
| Cyfluthrin | 0.10/0.30 | ND | 1.0 | Pass |
| Cypermethrin | 0.10/0.30 | ND | 1.0 | Pass |
| Daminozide | 0.017/0.05 | ND | 0.017 | Pass |
| DDVP (Dichlorvos) | 0.013/0.04 | ND | 0.013 | Pass |
| Diazinon | 0.017/0.05 | ND | 0.2 | Pass |
| Dimethoate | 0.017/0.05 | ND | 0.017 | Pass |
| Dimethomorph | 0.017/0.05 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.02/0.06 | ND | 0.02 | Pass |
| Etofenprox | 0.02/0.06 | ND | 0.02 | Pass |
| Etoxazole | 0.02/0.06 | ND | 1.5 | Pass |
| Fenhexamid | 0.017/0.05 | ND | 10.0 | Pass |
| Fenoxycarb | 0.02/0.06 | ND | 0.02 | Pass |
| Fenpyroximate | 0.02/0.06 | ND | 2.0 | Pass |
| Fipronil | 0.02/0.06 | ND | 0.02 | Pass |
| Flonicamid | 0.02/0.06 | ND | 2.0 | Pass |
| Fludioxonil | 0.02/0.06 | ND | 30.0 | Pass |
| Hexythiazox | 0.02/0.06 | ND | 2.0 | Pass |
| Imazalil | 0.02/0.06 | ND | 0.02 | Pass |
| Imidacloprid | 0.02/0.06 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.02/0.06 | ND | 1.0 | Pass |
| Malathion | 0.017/0.05 | ND | 5.0 | Pass |
| Metalaxyl | 0.017/0.05 | ND | 15.0 | Pass |
| Methiocarb | 0.02/0.06 | ND | 0.02 | Pass |
| Methomyl | 0.013/0.04 | ND | 0.1 | Pass |
| Methyl parathion | 0.02/0.06 | ND | 0.02 | Pass |
| Mevinphos | 0.02/0.06 | ND | 0.02 | Pass |
| Myclobutanil | 0.02/0.06 | ND | 9.0 | Pass |
| Naled | 0.017/0.05 | ND | 0.5 | Pass |
| Oxamyl | 0.013/0.04 | ND | 0.2 | Pass |
| Paclobutrazol | 0.02/0.06 | ND | 0.02 | Pass |
| Pentachloronitrobenzene | 0.017/0.05 | ND | 0.2 | Pass |
| Permethrins | 0.10/0.30 | ND | 20.0 | Pass |
| Phosmet | 0.02/0.06 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.02/0.06 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.02/0.06 | ND | 20.0 | Pass |
| Propoxur | 0.013/0.04 | ND | 0.013 | Pass |
| Pyrethrins | 0.15/0.50 | ND | 1.0 | Pass |
| Pyridaben | 0.017/0.05 | ND | 3.0 | Pass |
| Spinetoram | 0.02/0.06 | ND | 3.0 | Pass |
| Spinosad | 0.02/0.06 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.02/0.06 | ND | 13.0 | Pass |
| Spiroxamine | 0.017/0.05 | ND | 0.017 | Pass |
| Tebuconazole | 0.02/0.06 | ND | 2.0 | Pass |
| Thiacloprid | 0.013/0.04 | ND | 0.013 | Pass |
| Thiamethoxam | 0.02/0.06 | ND | 4.5 | Pass |

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------|----------------|-----------------|--------------|--------|
| Trifloxystrobin | 0.02/0.06 | ND | 30.0 | Pass |

Residual Solvent Screen ✔ Pass

01/15/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane | 0.5/0.5 | ND | 1 | Pass |
| Acetone | 57/200 | ND | 5000 | Pass |
| Acetonitrile | 56/200 | ND | 410 | Pass |
| Benzene | 0.5/0.5 | ND | 1 | Pass |
| n-Butane | 45/200 | ND | 5000 | Pass |
| Chloroform | 0.5/0.5 | ND | 1 | Pass |
| Ethanol | 37/200 | ND | 5000 | Pass |
| Ethyl acetate | 38/200 | ND | 5000 | Pass |
| Ethyl ether | 37/200 | ND | 5000 | Pass |
| Ethylene oxide | 0.1/0.5 | ND | 1 | Pass |
| n-Heptane | 135/200 | ND | 5000 | Pass |
| n-Hexane | 49/200 | ND | 290 | Pass |
| Isopropyl alcohol | 57/200 | ND | 5000 | Pass |
| Methanol | 37/200 | <LOQ | 3000 | Pass |
| Methylene chloride | 0.1/0.5 | ND | 1 | Pass |
| n-Pentane | 37/200 | ND | 5000 | Pass |
| Propane | 72/200 | ND | 5000 | Pass |
| Toluene | 49/200 | ND | 890 | Pass |
| Total xylenes (ortho-, meta-, para-) | 58/200 | ND | 2170 | Pass |
| Trichloroethylene | 0.5/0.5 | ND | 1 | Pass |

Heavy Metal Screen ✔ Pass

01/15/2025

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05 | ND | 1.5 | Pass |
| Cadmium | 0.02/0.05 | ND | 0.5 | Pass |
| Mercury | 0.02/0.05 | ND | 3 | Pass |
| Lead | 0.02/0.125 | ND | 0.5 | Pass |

Foreign Material ✔ Pass

01/15/2025

Method: MF-CHEM-7

| Analyte | Findings | Limit | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND | 25% | Pass |
| Mold | ND | 25% | Pass |
| Imbedded Foreign Material | ND | 25% | Pass |
| Insect Fragment | ND | 1 per 3g | Pass |
| Hair | ND | 1 per 3g | Pass |
| Mammalian Excreta | ND | 1 per 3g | Pass |

Mycotoxin Screen ✔ Pass

01/15/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1 | 2/5 | ND | - | - |
| Aflatoxin B2 | 2/5 | ND | - | - |
| Aflatoxin G1 | 2/5 | ND | - | - |
| Aflatoxin G2 | 2/5 | ND | - | - |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 6/18 | ND | 20 | Pass |

Water Activity

01/15/2025

Method: MF-CHEM-14

Instrument: Water Activity Meter

| Analyte | Findings | Limit | Status |
|----------------|----------|-------|--------|
| Water Activity | 0.45 | 0.85 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19, Chapter 6, Article 7, §15730, pursuant to §15726.(e)(13).

Reported by




Vu Lam
Lab Co Director
January 15, 2025



Scan to verify