Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

185 Main ST

License #: OCM-AUCP-22-000003

Certificate of Analysis



Date Released: 7/5/2023 12:27:25PM

Report #: 2101

PROTAB INDICA

Sample #: 1649, Weight: 11.44g, Unit Count:

Order #: X230622-0002

Category/Type: Ingestible, Orally-Dissolving Product

Date Collected: 6/22/2023 12:59:13PM Date Received: 6/22/2023 1:01:36PM Regulator Sample ID: PT230615d9l Regulator Source Package ID: PT230615d9l

Regulator Batch ID: PT230615d9l

Size: 2500units, Unit Count:



Total Cannabinoids 11.19 mg/svg



Total THC 10.45 mg/svg 11.87 %



Total CBD 0.03667 mg/svg 0.04168 %



PASS

Microbials **PASS**



Residual Solvents PASS



PASS



PASS



PASS

Potency Analysis by HPLC

Total Cannabinoids: 11.19 mg/svg - 12.72 %

Total THC: 10.45 mg/svg - 11.87 % Total CBD: 0.03667 mg/svg - 0.04168 %

Compound	CAS#	LOQ (mg/svg)	mg/svg	%
d9-THC	1972-08-3	0.01000	10.45	11.87
CBG	25654-31-3	0.01000	0.2492	0.2831
CBN	521-35-7	0.01000	0.2310	0.2625
d10-THC	95543-62-7	0.01000	0.1117	0.1270
THCV	31262-37-0	0.01000	0.09804	0.1114
CBD	13956-29-1	0.01000	0.03667	0.04168
CBGa	25555-57-1	0.01000	0.01441	0.01638
THCa	23978-85-0	0.01000	ND	ND
d8-THC	5957-75-5	0.01000	ND	0.01135
CBDa	1244-58-2	0.01000	ND	ND
CBDV	24274-48-4	0.01000	ND	ND
CBC	20675-51-8	0.01000	ND	ND

Date Completed: 06/30/2023 12:39PM

Relative Concentration

st Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007

Kelly N. Greeled





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com

607-821-1182 License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 1649 PROTAB INDICA

Water Activity by Meter		Pass	;	Analysis Date	: 07/03/2023 9:07 am
Com	pound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Wate	er Activity	0.05	0.85	0.58	Pass
Comment:	Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.				

sticides by LCMSMS	Pass	;	Analysis Date	: 07/03/2023 10:
Compound	LOQ (µg/g)	Limits (μg/g)	Result (μg/g)	Status
Abamectin	0.0100	0.5	ND	Pass
Acephate	0.0100	0.4	ND	Pass
Acequinocyl	0.0100	2	ND	Pass
Acetamiprid	0.0100	0.2	ND	Pass
Aldicarb	0.0100	0.4	ND	Pass
Azadirachtin	0.0100	1	ND	Pass
Azoxystrobin	0.0100	0.2	ND	Pass
Bifenazate	0.0100	0.2	ND	Pass
Bifenthrin	0.0100	0.2	ND	Pass
Boscalid	0.0100	0.4	ND	Pass
Captan	0.0100	1	ND	Pass
Carbaryl	0.0100	0.2	ND	Pass
Carbofuran	0.0100	0.2	ND	Pass
Chlorantraniliprole	0.0100	0.2	ND	Pass
Chlordane-alpha	0.0100	1	ND	Pass
Chlorfenapyr	0.0100	1	ND	Pass
Chlormequat Chloride	0.0100	1	ND	Pass
Chlorpyrifos	0.0100	0.2	ND	Pass
Clofentezine	0.0100	0.2	ND	Pass
Coumaphos	0.0100	1	ND	Pass
Cyfluthrin	0.0100	1	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela





Certificate of Analysis

185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182 License #: OCM-AUCP-22-000003

Sample #: 1649 **PROTAB INDICA**

sticides by LCMSMS	Pass		Analysis Date: 07/03/2023 10:15	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Cypermethrin	0.0100	1	ND	Pass
Daminozide	0.0100	1	ND	Pass
Diazinon	0.0100	0.2	ND	Pass
Dichlorvos	0.0100	1	ND	Pass
Dimethoate	0.0100	0.2	ND	Pass
Dimethomorph	0.0100	1	ND	Pass
Ethoprophos	0.0100	0.2	ND	Pass
Etofenprox	0.0100	0.4	ND	Pass
Etoxazole	0.0100	0.2	ND	Pass
Fenhexamid	0.0100	1	ND	Pass
Fenoxycarb	0.0100	0.2	ND	Pass
Fenpyroximate	0.0100	0.4	ND	Pass
Fipronil	0.0100	0.4	ND	Pass
Flonicamid	0.0100	1	ND	Pass
Fludioxonil	0.0100	0.4	ND	Pass
Hexythiazox	0.0100	1	ND	Pass
Imazalil	0.0100	0.2	ND	Pass
Imidacloprid	0.0100	0.4	ND	Pass
Indolebutyric Acid	0.0100	1	ND	Pass
Kresoxim-methyl	0.0100	0.4	ND	Pass
Malathion	0.0100	0.2	ND	Pass
Metalaxyl	0.0100	0.2	ND	Pass
Methiocarb	0.0100	0.2	ND	Pass
Methomyl	0.0100	0.4	ND	Pass
Methyl Parathion	0.0100	0.2	ND	Pass
Mevinphos	0.0100	1	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.comwww. Keystone State Testing.comPermit #: OCM-CPL-2022-00007

Kelly N Guela





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 1649 PROTAB INDICA

sticides by LCMSMS	Pass	Pass		Analysis Date: 07/03/2023 10:15	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
MGK-264	0.0100	0.2	ND	Pass	
Myclobutanil	0.0100	0.2	ND	Pass	
Naled	0.0100	0.5	ND	Pass	
Oxamyl	0.0100	1	ND	Pass	
Paclobutrazol	0.0100	0.4	ND	Pass	
Pentachloronitrobenzene	0.0100	1	ND	Pass	
Permethrins, Total	0.0100	0.2	ND	Pass	
Phosmet	0.0100	0.2	ND	Pass	
Piperonyl Butoxide	0.0100	2	ND	Pass	
Prallethrin	0.0100	0.2	ND	Pass	
Propiconazole	0.0100	0.4	ND	Pass	
Propoxur	0.0100	0.2	ND	Pass	
Pyrethrins Total	0.0100	1	ND	Pass	
Pyridaben	0.0100	0.2	ND	Pass	
Spinetoram Total	0.0100	1	ND	Pass	
Spinosad Total	0.0100	0.2	ND	Pass	
Spiromesifen	0.0100	0.2	ND	Pass	
Spirotetramat	0.0100	0.2	ND	Pass	
Spiroxamine	0.0100	0.2	ND	Pass	
Tebuconazole	0.0100	0.4	ND	Pass	
Thiacloprid	0.0100	0.2	ND	Pass	
Thiamethoxam	0.0100	0.2	ND	Pass	
Trifloxystrobin	0.0100	0.2	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Sample #: 1649 **PROTAB INDICA**

sidual Solvents by HS-GC-MS	Pass	;	Analysis Date: 06/30/2023 10:42 a	
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
1,2-Dichloroethane	10.00	5	ND	Pass
Acetone	50.00	5000	ND	Pass
Acetonitrile	50.00	410	ND	Pass
Benzene	0.5000	2	ND	Pass
Butanes Total	25.00	5000	ND	Pass
Chloroform	0.5000	60	ND	Pass
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass
Ethanol	50.00	5000	ND	Pass
Ethyl acetate	50.00	5000	ND	Pass
Ethyl ether	50.00	5000	ND	Pass
Heptane	50.00	5000	ND	Pass
Hexanes Total	10.00	290	ND	Pass
Isopropanol	50.00	5000	ND	Pass
Methanol	50.00	3000	ND	Pass
Methylene chloride	50.00	600	ND	Pass
Pentanes Total	16.70	5000	ND	Pass
Propane	50.00	5000	ND	Pass
Toluene	50.00	890	ND	Pass
Total xylenes	25.00	2170	ND	Pass
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass

Mycotoxins by LCMSMS Pass		Pass		Analysis Date: 07/03/2023 10:15 am		
	Compound	LOQ (µg/g)	Limits (μg/g)	Result (µg/g)	Status	
	Aflatoxin B1	0.0050	0.020	ND	Pass	
	Aflatoxin B2	0.0050	0.020	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.comwww. Keystone State Testing.comPermit #: OCM-CPL-2022-00007

Kelly N Guela





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 1649 PROTAB INDICA

Mycotoxins by LCMSMS	Pass	•	Analysis Date:	07/03/2023 10:15 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status	
Aflatoxin G1	0.0050	0.020	ND	Pass	
Aflatoxin G2	0.0050	0.020	ND	Pass	
Ochratoxin A	0.0050	0.020	ND	Pass	
Total Aflatoxin	0.0050	0.020	ND	Pass	
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.					

Heavy Metals by ICPMS	Pass	}	Analysis Date:	: 06/29/2023 11:04 an
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Antimony	0.0100	120	0.0158	Pass
Arsenic	0.00100	1.5	ND	Pass
Cadmium	0.00150	0.5	ND	Pass
Chromium	0.280	1100	2.69	Pass
Copper	0.0750	300	ND	Pass
Lead	0.00250	0.5	0.0179	Pass
Mercury	0.000500	3	0.00151	Pass
Nickel	0.0100	20	0.0660	Pass
Comment: Heavy Metal contamination tested by ICPMS using P-N	Y140. Unless otherwise stated, all	QC passed.		

M	icro by Petri & qPCR	Pass	,	Analysis Date:	07/02/2023 10:55 am
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
	Aspergillus flavus Qualitative	0	0	Not Detected	Pass
	Aspergillus fumigatus Qualitative	0	0	Not Detected	Pass
	Aspergillus niger Qualitative	0	0	Not Detected	Pass
	Aspergillus terreus Qualitative	0	0	Not Detected	Pass
	Salmonella Qualitative	0	0	Not Detected	Pass
	Shiga Toxin-Producing E. coli Qualitative	0	0	Not Detected	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela



Certificate of Analysis

185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182 License #: OCM-AUCP-22-000003

Sample #: 1649 **PROTAB INDICA**

Micro b	oy Petri & qPCR	Pass	•	Analysis Date: 07	7/02/2023 10:55 am
Comp	ound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Total A	Aerobic Bacteria	10	10000	ND	Pass
Total Y	Yeast & Mold	10	1000	ND	Pass
Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".					

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.comwww. Keystone State Testing.comPermit #: OCM-CPL-2022-00007

Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 7 of 7

Report Date: 07/05/2023 12:31:36PN