185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis



Report #: 2099

PROTAB SATIVA

Sample #: 1651, Weight: 11.44g, Unit Count:

Order #: X230622-0002

Category/Type: Ingestible, Orally-Dissolving Product

Date Collected: 6/22/2023 12:59:13PM Date Received: 6/22/2023 1:01:36PM Regulator Sample ID: PT230615d9S Regulator Source Package ID: PT230615d9S

Regulator Batch ID: PT230615d9S

Size: 2500units, Unit Count:



Total Cannabinoids 11.52 mg/svg 13.10 %



Total THC 10.76 mg/svg 12.23 %



Total CBD 0.03733 mg/svg 0.04242 %



Heavy Metals **PASS**



Microbials **PASS**



Residual Solvents PASS



PASS



PASS



PASS

Potency Analysis by HPLC

Total Cannabinoids: 11.52 mg/svg - 13.10 %

Total THC: 10.76 mg/svg - 12.23 % Total CBD: 0.03733 mg/svg - 0.04242 %

Compound	CAS#	LOQ (mg/svg)	mg/svg	%	Relative Concentration
d9-THC	1972-08-3	0.01000	10.76	12.23	
CBG	25654-31-3	0.01000	0.2546	0.2894	•
CBN	521-35-7	0.01000	0.2291	0.2603	•
d10-THC	95543-62-7	0.01000	0.1151	0.1308	
THCV	31262-37-0	0.01000	0.1019	0.1158	•
CBD	13956-29-1	0.01000	0.03733	0.04242	
CBGa	25555-57-1	0.01000	0.01561	0.01774	I
d8-THC	5957-75-5	0.01000	0.01093	0.01242	
THCa	23978-85-0	0.01000	ND	ND	
CBDa	1244-58-2	0.01000	ND	ND	
CBDV	24274-48-4	0.01000	ND	ND	
CBC	20675-51-8	0.01000	ND	ND	
Test Comment: Cannabinoids analyzed by H	IPLC using P-NY1	00. The reported	result is based	d on a sample w	reight using moisture content for flower samples unless moisture is listed as zero or ND.

Date Completed: 06/30/2023 12:39PM

Relative Concentration

Unless otherwise stated all QC passed d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007

Kelly N. Greeled





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 1651 PROTAB SATIVA

Water Activity by Meter		Pass		Analysis Date: 07/03/2023 9	
Com	pound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Wate	er Activity	0.05	0.85	0.60	Pass
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					

sticides by LCMSMS	Pass		Analysis Date: 07/03/2023 10:15		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Abamectin	0.0100	0.5	ND	Pass	
Acephate	0.0100	0.4	ND	Pass	
Acequinocyl	0.0100	2	ND	Pass	
Acetamiprid	0.0100	0.2	ND	Pass	
Aldicarb	0.0100	0.4	ND	Pass	
Azadirachtin	0.0100	1	ND	Pass	
Azoxystrobin	0.0100	0.2	ND	Pass	
Bifenazate	0.0100	0.2	ND	Pass	
Bifenthrin	0.0100	0.2	ND	Pass	
Boscalid	0.0100	0.4	ND	Pass	
Captan	0.0100	1	ND	Pass	
Carbaryl	0.0100	0.2	ND	Pass	
Carbofuran	0.0100	0.2	ND	Pass	
Chlorantraniliprole	0.0100	0.2	ND	Pass	
Chlordane-alpha	0.0100	1	ND	Pass	
Chlorfenapyr	0.0100	1	ND	Pass	
Chlormequat Chloride	0.0100	1	ND	Pass	
Chlorpyrifos	0.0100	0.2	ND	Pass	
Clofentezine	0.0100	0.2	ND	Pass	
Coumaphos	0.0100	1	ND	Pass	
Cyfluthrin	0.0100	1	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Greelal





185 Main ST

Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 1651 PROTAB SATIVA

sticides by LCMSMS	Pass		Analysis Date: 07/03/2023 10:15	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Cypermethrin	0.0100	1	ND	Pass
Daminozide	0.0100	1	ND	Pass
Diazinon	0.0100	0.2	ND	Pass
Dichlorvos	0.0100	1	ND	Pass
Dimethoate	0.0100	0.2	ND	Pass
Dimethomorph	0.0100	1	ND	Pass
Ethoprophos	0.0100	0.2	ND	Pass
Etofenprox	0.0100	0.4	ND	Pass
Etoxazole	0.0100	0.2	ND	Pass
Fenhexamid	0.0100	1	ND	Pass
Fenoxycarb	0.0100	0.2	ND	Pass
Fenpyroximate	0.0100	0.4	ND	Pass
Fipronil	0.0100	0.4	ND	Pass
Flonicamid	0.0100	1	ND	Pass
Fludioxonil	0.0100	0.4	ND	Pass
Hexythiazox	0.0100	1	ND	Pass
Imazalil	0.0100	0.2	ND	Pass
Imidacloprid	0.0100	0.4	ND	Pass
Indolebutyric Acid	0.0100	1	ND	Pass
Kresoxim-methyl	0.0100	0.4	ND	Pass
Malathion	0.0100	0.2	ND	Pass
Metalaxyl	0.0100	0.2	ND	Pass
Methiocarb	0.0100	0.2	ND	Pass
Methomyl	0.0100	0.4	ND	Pass
Methyl Parathion	0.0100	0.2	ND	Pass
Mevinphos	0.0100	1	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 1651 PROTAB SATIVA

sticides by LCMSMS	Pass	•	Analysis Date: 07/03/2023 10:15 a	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
MGK-264	0.0100	0.2	ND	Pass
Myclobutanil	0.0100	0.2	ND	Pass
Naled	0.0100	0.5	ND	Pass
Oxamyl	0.0100	1	ND	Pass
Paclobutrazol	0.0100	0.4	ND	Pass
Pentachloronitrobenzene	0.0100	1	ND	Pass
Permethrins, Total	0.0100	0.2	ND	Pass
Phosmet	0.0100	0.2	ND	Pass
Piperonyl Butoxide	0.0100	2	ND	Pass
Prallethrin	0.0100	0.2	ND	Pass
Propiconazole	0.0100	0.4	ND	Pass
Propoxur	0.0100	0.2	ND	Pass
Pyrethrins Total	0.0100	1	ND	Pass
Pyridaben	0.0100	0.2	ND	Pass
Spinetoram Total	0.0100	1	ND	Pass
Spinosad Total	0.0100	0.2	ND	Pass
Spiromesifen	0.0100	0.2	ND	Pass
Spirotetramat	0.0100	0.2	ND	Pass
Spiroxamine	0.0100	0.2	ND	Pass
Tebuconazole	0.0100	0.4	ND	Pass
Thiacloprid	0.0100	0.2	ND	Pass
Thiamethoxam	0.0100	0.2	ND	Pass
Trifloxystrobin	0.0100	0.2	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com

607-821-1182 License #: OCM-AUCP-22-000003 **Certificate of Analysis**

Final

Sample #: 1651 PROTAB SATIVA

sidual Solvents by HS-GC-MS	Pass	;	Analysis Date	: 06/30/2023 10:42
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
1,2-Dichloroethane	10.00	5	ND	Pass
Acetone	50.00	5000	ND	Pass
Acetonitrile	50.00	410	ND	Pass
Benzene	0.5000	2	ND	Pass
Butanes Total	25.00	5000	ND	Pass
Chloroform	0.5000	60	ND	Pass
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass
Ethanol	50.00	5000	ND	Pass
Ethyl acetate	50.00	5000	ND	Pass
Ethyl ether	50.00	5000	ND	Pass
Heptane	50.00	5000	ND	Pass
Hexanes Total	10.00	290	ND	Pass
Isopropanol	50.00	5000	ND	Pass
Methanol	50.00	3000	ND	Pass
Methylene chloride	50.00	600	ND	Pass
Pentanes Total	16.70	5000	ND	Pass
Propane	50.00	5000	ND	Pass
Toluene	50.00	890	ND	Pass
Total xylenes	25.00	2170	ND	Pass
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass

M	ycotoxins by LCMSMS	Pass	Pass		07/03/2023 10:15 am
	Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
	Aflatoxin B1	0.0050	0.020	ND	Pass
	Aflatoxin B2	0.0050	0.020	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com

607-821-1182 License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 1651 PROTAB SATIVA

Mycotoxins by LCMSMS	Pass	•	Analysis Date	: 07/03/2023 10:15 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status	
Aflatoxin G1	0.0050	0.020	ND	Pass	
Aflatoxin G2	0.0050	0.020	ND	Pass	
Ochratoxin A	0.0050	0.020	ND	Pass	
Total Aflatoxin	0.0050	0.020	ND	Pass	
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.					

Heavy Metals by ICPMS	Pass	;	Analysis Date	: 06/29/2023 11:04 am
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Antimony	0.0100	120	0.0149	Pass
Arsenic	0.00100	1.5	ND	Pass
Cadmium	0.00150	0.5	ND	Pass
Chromium	0.280	1100	2.70	Pass
Соррег	0.0750	300	ND	Pass
Lead	0.00250	0.5	0.0164	Pass
Mercury	0.000500	3	0.00150	Pass
Nickel	0.0100	20	0.0652	Pass
Comment: Heavy Metal contamination tested by ICPMS using P-N	NY140. Unless otherwise stated, all	QC passed.		

Mic	ro by Petri & qPCR	Pass	3	Analysis Date:	07/02/2023 10:55 am
C	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Ā	Aspergillus flavus Qualitative	0	0	Not Detected	Pass
A	Aspergillus fumigatus Qualitative	0	0	Not Detected	Pass
A	Aspergillus niger Qualitative	0	0	Not Detected	Pass
A	Aspergillus terreus Qualitative	0	0	Not Detected	Pass
8	Salmonella Qualitative	0	0	Not Detected	Pass
5	Shiga Toxin-Producing E. coli Qualitative	0	0	Not Detected	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela



Certificate of Analysis

185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182 License #: OCM-AUCP-22-000003

Sample #: 1651 **PROTAB SATIVA**

Micro	by Petri & qPCR	Pass	•	Analysis Date: 07/02/2023 10:55 am	
Comp	pound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Total	Aerobic Bacteria	10	10000	ND	Pass
Total	Yeast & Mold	10	1000	ND	Pass
Comment:	Microbial contamination tested by Petrifilm plates and c and "Detected" = "Presumptive Presence". Acceptance			validation limitations: "Not Detected" = "Absent"	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.comwww. Keystone State Testing.comPermit #: OCM-CPL-2022-00007

Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 7 of 7

Report Date: 07/05/2023 12:31:22PN