185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003





Date Released: 12/19/2023 10:51:44AM

Report #: 6855

Level Protab Indica

Sample #: 3281, Weight: 11.44g, Unit Count:

Order #: X231207-0001

Category/Type: Ingestible, Edibles Date Collected: 12/7/2023 7:31:14PM Date Received: 12/7/2023 8:26:48PM Regulator Sample ID: NY20PT231209d9l

Regulator Source Package ID: NY20PT231209d9l

Regulator Batch ID: NY20PT231209d9l

Size: 2500Units, Unit Count:



Total Cannabinoids 9.983 mg/svg 113.4 mg/g

Residual Solvents

PASS



Pesticides

PASS

Total CBD 8.886 mg/svg 0.05604 mg/svg 0.6369 mg/g 101.0 mg/g





Total Terpenes Heavy Metals 0.0 % PASS

Microbials **PASS**







Date Completed: 12/12/2023 9:32AM

PASS

Mycotoxins

Foreign Matter Water Activity **PASS PASS**

Potency Analysis by HPLC

Total Cannabinoids: 9.983 mg/svg - 113.4 mg/g

Total THC: 8.886 mg/svg - 101.0 mg/g Total CRD: 0.05604 mg/svg - 0.6369 mg/g

| Compound | CAS# | LOQ (mg/svg) | mg/svg | mg/g | Relative Concentration |
|----------|------------|---------------------|---------|--------|------------------------|
| d9-THC | 1972-08-3 | 0.01000 | 8.732 | 99.22 | |
| CBN | 521-35-7 | 0.01000 | 0.6645 | 7.551 | _ |
| CBG | 25654-31-3 | 0.01000 | 0.2897 | 3.292 | • |
| d10-THC | 95543-62-7 | 0.01000 | 0.1117 | 1.270 | 1 |
| THCV | 31262-37-0 | 0.01000 | 0.08407 | 0.9554 | 1 |
| d8-THC | 5957-75-5 | 0.01000 | 0.04263 | 0.4845 | 1 |
| CBD | 13956-29-1 | 0.01000 | 0.03654 | 0.4152 | 1 |
| CBDa | 1244-58-2 | 0.01000 | 0.02224 | 0.2528 | 1 |
| THCa | 23978-85-0 | 0.01000 | ND | ND | |
| CBDV | 24274-48-4 | 0.01000 | ND | ND | |
| CBC | 20675-51-8 | 0.01000 | ND | ND | |
| CBGa | 25555-57-1 | 0.01000 | ND | ND | |

ds analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KevstoneStateTesting.com Permit #: OCM-CPL-2022-00007

Kelly N. Greela

Dr. Kelly Greenland, Lab Director



Page 1 of 9



185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3281 Level Protab Indica

| Terpenes by HS-GC-MS | | | | | Date Completed: 12/14/2023 | 3:22PM |
|-----------------------------|------------|-----------|----|------------------------|-----------------------------------|--------|
| | | | | | | |
| | | | | | | |
| Compound | CAS# | LOQ () | | Relative Concentration | | |
| Results based on dry weight | | | | | | |
| Beta-myrcene | 123-35-3 | 0.1000 | ND | | | |
| Beta-caryophyllene | 87-44-5 | 0.1000 | ND | | | |
| Limonene | 5989-27-5 | 0.1000 | ND | | | |
| Alpha-pinene | 80-56-8 | 0.1000 | ND | | | |
| Alpha-humulene | 6753-98-6 | 0.1000 | ND | | | |
| Linalool | 78-70-6 | 0.1000 | ND | | | |
| Beta-pinene | 127-91-3 | 0.1000 | ND | | | |
| Terpinolene | 586-62-9 | 0.1000 | ND | | | |
| Borneol | 464-43-7 | 0.1000 | ND | | | |
| Ocimene | 13877-91-3 | 0.1000 | ND | | | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | | | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | | | |
| Geraniol | 106-24-1 | 0.1000 | ND | | | |
| Camphene | 79-92-5 | 0.1000 | ND | | | |
| Guaiol | 489-86-1 | 0.1000 | ND | | | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | | | |
| Terpineol | 8006-39-1 | 0.1000 | ND | | | |
| Fenchol | 14575-74-7 | 0.1000 | ND | | | |
| Valencene | 4630-07-3 | 0.1000 | ND | | | |
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | | | |
| Farnesene | 502-61-4 | 0.1000 | ND | | | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Gree La

Dr. Kelly Greenland, Lab Director



Page 2 of 9



185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Final



Sample #: 3281 Level Protab Indica

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|------------------|-----------|------------|-------|------------------------|
| Camphor | 464-49-3 | 0.1000 | ND | |
| 3-Carene 1 | 3466-78-9 | 0.1000 | ND | |
| Alpha-cedrene | 469-61-4 | 0.1000 | ND | |
| Cedrol | 77-53-2 | 0.1000 | ND | |
| Eucalyptol | 470-82-6 | 0.1000 | ND | |
| Fenchone | 1195-79-5 | 0.1000 | ND | |
| Gamma-terpinene | 99-85-4 | 0.1000 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1000 | ND | |
| Isopulegol | 89-79-2 | 0.1000 | ND | |
| Menthol 1 | 5356-70-4 | 0.1000 | ND | |
| Nerol | 106-25-2 | 0.1000 | ND | |
| Nerolidol | | | 0.000 | |
| Pulegone | 89-82-7 | 0.1000 | ND | |
| Sabinene | 3387-41-5 | 0.1000 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1000 | ND | |

| Foreign Matter by Microscopy | Pass | 3 | Analysis Date: 12/14/2023 3:23 pm | | | |
|--|---------|------------|--|--------|--|--|
| Compound | LOQ (%) | Limits (%) | Result (%) | Status | | |
| % Foreign Matter | 0.00100 | 2.0 | ND | Pass | | |
| Mammalian Exreta | 0.00100 | 0.03 | ND | Pass | | |
| Stems | 0.00100 | 5.0 | ND | Pass | | |
| Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | | | |

| W | ater Activity Pass Analysis | | Pass | | : 12/11/2023 11:54 am |
|---|-----------------------------|----------|-------------|-------------|-----------------------|
| | Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
| | Water Activity | 0.05 | 0.85 | 0.35 | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Gree Le

Dr. Kelly Greenland, Lab Director



Page 3 of 9



185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3281 Level Protab Indica

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

| esticides by LCMSMS Pass Analysis Date: 12/13/2023 | | | | | |
|--|------------|---------------|---------------|--------|--|
| Compound | LOQ (μg/g) | Limits (μg/g) | Result (μg/g) | Status | |
| Abamectin | 0.0100 | 0.500 | ND | Pass | |
| Acephate | 0.0100 | 0.400 | ND | Pass | |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass | |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass | |
| Aldicarb | 0.0100 | 0.400 | ND | Pass | |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass | |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass | |
| Bifenazate | 0.0100 | 0.200 | ND | Pass | |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass | |
| Boscalid | 0.0100 | 0.400 | ND | Pass | |
| Captan | 0.0100 | 1.00 | ND | Pass | |
| Carbaryl | 0.0100 | 0.200 | ND | Pass | |
| Carbofuran | 0.0100 | 0.200 | ND | Pass | |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass | |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass | |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass | |
| Chlormequat Chloride | 0.0100 | 1.00 | ND | Pass | |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass | |
| Clofentezine | 0.0100 | 0.200 | ND | Pass | |
| Coumaphos | 0.0100 | 1.00 | ND | Pass | |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass | |
| Cypermethrin | 0.0100 | 1.00 | ND | Pass | |
| Daminozide | 0.0100 | 1.00 | ND | Pass | |
| Diazinon | 0.0100 | 0.200 | ND | Pass | |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 4 of 9



185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182 License #: OCM-AUCP-22-000003



Final



Sample #: 3281 Level Protab Indica

| sticides by LCMSMS | Pass | • | Analysis Date: 12/13/2023 1:24 p | | |
|--------------------|------------|---------------|----------------------------------|--------|--|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status | |
| Dimethoate | 0.0100 | 0.200 | ND | Pass | |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass | |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass | |
| Etofenprox | 0.0100 | 0.400 | ND | Pass | |
| Etoxazole | 0.0100 | 0.200 | ND | Pass | |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass | |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass | |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass | |
| Fipronil | 0.0100 | 0.400 | ND | Pass | |
| Flonicamid | 0.0100 | 1.00 | ND | Pass | |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass | |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass | |
| Imazalil | 0.0100 | 0.200 | ND | Pass | |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass | |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass | |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass | |
| Malathion | 0.0100 | 0.200 | ND | Pass | |
| Metalaxyl | 0.0100 | 0.200 | ND | Pass | |
| Methiocarb | 0.0100 | 0.200 | ND | Pass | |
| Methomyl | 0.0100 | 0.400 | ND | Pass | |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass | |
| Mevinphos | 0.0100 | 1.00 | ND | Pass | |
| MGK-264 | 0.0100 | 0.200 | ND | Pass | |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass | |
| Naled | 0.0100 | 0.500 | ND | Pass | |
| Oxamyl | 0.0100 | 1.00 | ND | Pass | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Greelel

Dr. Kelly Greenland, Lab Director





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3281 Level Protab Indica

| esticides by LCMSMS | Pass | | Analysis Date: 12/13/2023 1:24 | | |
|-------------------------|------------|---------------|--------------------------------|--------|--|
| Compound | LOQ (μg/g) | Limits (μg/g) | Result (μg/g) | Status | |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass | |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass | |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass | |
| Phosmet | 0.0100 | 0.200 | ND | Pass | |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass | |
| Prallethrin | 0.0100 | 0.200 | ND | Pass | |
| Propiconazole | 0.0100 | 0.400 | ND | Pass | |
| Propoxur | 0.0100 | 0.200 | ND | Pass | |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass | |
| Pyridaben | 0.0100 | 0.200 | ND | Pass | |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass | |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass | |
| Spiromesifen | 0.0100 | 0.200 | ND | Pass | |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass | |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass | |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass | |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass | |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass | |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass | |

| Residual Solvents by HS-GC-MS | Pass | | Analysis Date: 12/18/2023 | |
|-------------------------------|-----------|--------------|----------------------------------|--------|
| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
| 1,2-Dichloroethane | 0.0500 | 5.00 | ND | Pass |
| Acetone | 50.00 | 5000 | ND | Pass |
| Acetonitrile | 50.00 | 410 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Guela

Dr. Kelly Greenland, Lab Director





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3281 Level Protab Indica

| sidual Solvents by HS-GC-MS | Pass | , | Analysis Date | e: 12/18/2023 2:14 |
|-----------------------------|-----------|--------------|---------------|--------------------|
| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
| Benzene | 0.5000 | 2.00 | ND | Pass |
| Butanes Total | 25.00 | 5000 | ND | Pass |
| Chloroform | 0.5000 | 60.0 | ND | Pass |
| Dimethyl Sulfoxide (DMSO) | 50.00 | 5000 | ND | Pass |
| Ethanol | 50.00 | 5000 | ND | Pass |
| Ethyl acetate | 50.00 | 5000 | ND | Pass |
| Ethyl ether | 50.00 | 5000 | ND | Pass |
| Heptane | 50.00 | 5000 | ND | Pass |
| Hexanes Total | 10.00 | 290 | ND | Pass |
| Isopropanol | 50.00 | 5000 | ND | Pass |
| Methanol | 50.00 | 3000 | ND | Pass |
| Methylene chloride | 50.00 | 600 | ND | Pass |
| Pentanes Total | 16.70 | 5000 | ND | Pass |
| Propane | 50.00 | 5000 | ND | Pass |
| Toluene | 50.00 | 890 | ND | Pass |
| Total xylenes | 25.00 | 2170 | ND | Pass |
| Trichloroethane (1,1,1-) | 50.00 | 1500 | ND | Pass |

| Mycotoxins by LCMSMS Pass | | Pass | | : 12/13/2023 1:24 pm |
|---------------------------|------------|---------------|---------------|----------------------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| | | | | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 7 of 9



185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3281 Level Protab Indica

| M | ycotoxins by LCMSMS | Pass | | Analysis Date: | 12/13/2023 1:24 pm | | |
|--|---------------------|------------|---------------|----------------|--------------------|--|--|
| | Compound | LOQ (μg/g) | Limits (µg/g) | Result (µg/g) | Status | | |
| | Total Aflatoxin | 0.0050 | 0.020 | ND | Pass | | |
| Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed. | | | | | | | |

| Heavy Metals by ICPMS | Pass | | Analysis Date: 12/14/2023 10:01 am | |
|--|------------------------------------|---------------|------------------------------------|--------|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Antimony | 0.0100 | 120 | ND | Pass |
| Arsenic | 0.00100 | 1.50 | 0.0213 | Pass |
| Cadmium | 0.00150 | 0.500 | ND | Pass |
| Chromium | 0.280 | 1100 | ND | Pass |
| Copper | 0.0750 | 300 | ND | Pass |
| Lead | 0.00250 | 0.500 | 0.0289 | Pass |
| Mercury | 0.000500 | 3.00 | ND | Pass |
| Nickel | 0.0100 | 20.0 | 0.0765 | Pass |
| Comment: Heavy Metal contamination tested by ICPMS using P-N | Y140. Unless otherwise stated, all | QC passed. | | |

| Micro by Petri & qPCR | | Pass | | Analysis Date: 12/13/2023 11:54 am | | |
|--|---|-------------|----------------|------------------------------------|--------|--|
| | Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status | |
| | Aspergillus flavus Qualitative | 0 | 0 | Not Detected | Pass | |
| | Aspergillus fumigatus Qualitative | 0 | 0 | Not Detected | Pass | |
| | Aspergillus niger Qualitative | 0 | 0 | Not Detected | Pass | |
| | Aspergillus terreus Qualitative | 0 | 0 | Not Detected | Pass | |
| | Salmonella Qualitative | 0 | 0 | Not Detected | Pass | |
| | Shiga Toxin-Producing E. coli Qualitative | 0 | 0 | Not Detected | Pass | |
| | Total Aerobic Bacteria | 10 | 10000 | ND | Pass | |
| | Total Yeast & Mold | 10 | 1000 | ND | Pass | |
| Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations : "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". | | | | | | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Gree Land

Dr. Kelly Greenland, Lab Director



Page 8 of 9



185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Final



Sample #: 3281 Level Protab Indica

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Grealed

Dr. Kelly Greenland, Lab Director

