

Regulatory Compliance Testing

Metta Medical

CDPH-10004472

MANUFACTURER:

Sample Increments:

Sample Weight / Increment (g):

ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



DISTRIBUTOR:

Metta Medical

SAMPLE INFORMATION

Sample No.: Product Name:	1216508 Level - Hybrid Protab - CA25PT240501d9H
Matrix:	Concentrate (Orally Consumed Concentrate)
Lot #:	CA25PT240501d9H
Product- Batch Size (Units):	6208
Source UID:	1A4060300020081000004153, 1A4060300020081000004152

TEST SUMMARY

Cannabinoid Profile:	🔮 Pass	Microbiologic
Pesticide Residue Screen:	Sease Pass	Residual Solve
Heavy Metal Screen:	🔮 Pass	Foreign Mate
Mycotoxin Screen:	🕑 Pass	Water Activity
Overall:	🕑 Pass	

Increment (g): 6.74g Total Sample Weight (g): 43.82 Date Collected: 05/09/2024 Date Received: 05/09/2024 Date Reported: 05/14/2024

Microbiological Screen:	🔮 Pass
Residual Solvent Screen:	🔮 Pass
Foreign Material:	🔮 Pass
Water Activity:	🔮 Pass

20

18 units of 1.6856g, 2 units of

Cannabinoid Profile Seass

Method: MF-CHEM-15

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

Cannabinoid	mg/g	%	mg/serving	mg/package	Status
Δ8-THC	ND	ND	ND	ND / ND	-
Δ9-THC	154.09	15.409	26.26	1050.28 / 262.57	Pass
Δ9-THCA	ND	ND	ND	ND / ND	-
ТНСV	0.98	0.098	0.17	6.68 / 1.67	-
THCVA	ND	ND	ND	ND / ND	-
CBD	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq <loq<="" td=""><td>-</td></loq></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq <loq<="" td=""><td>-</td></loq></td></loq<></td></loq<>	<loq< td=""><td><loq <loq<="" td=""><td>-</td></loq></td></loq<>	<loq <loq<="" td=""><td>-</td></loq>	-
CBDA	ND	ND	ND	ND / ND	-
CBC	2.79	0.279	0.48	19.04 / 4.76	-
CBCA	ND	ND	ND	ND / ND	-
CBDV	ND	ND	ND	ND / ND	-
CBG	5.71	0.571	0.97	38.89 / 9.72	-
CBGA	ND	ND	ND	ND / ND	-
CBN	1.72	0.172	0.29	11.74/2.93	-
Total THC	154.09	15.409	26.26	1050.28 / 262.57	-
Total CBD	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<>	<loq< td=""><td>-</td></loq<>	-
Total Cannabinoids	165.29	16.529	28.17	1126.62 / 281.65	-
Sum of Cannabinoids	165.29	16.529	28.17	1126.62 / 281.65	-
Serving Weight (g)	0.1704				
Package Weight (g)	682/17				

Package Weight (g) 6.82 / 1.7

Total THC = Δ 8-THC + Δ 9-THC + (0.877 * (Δ 8-THCA + Δ 9-THCA)) Total CBD = CBD + (0.877 * CBDA) Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen Service Pass

Analyte	Method	Findings	Status	
Salmonella	AOAC 2016.01	Negative/1g	Pass	
STEC	STEC Agar	Negative/1g	Pass	

Pesticide Residue Screen Ø Pass

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass

Anresco Laboratories www.anresco.com	Sample #: 1216508	Page 1 of 4
1375 Van Dyke Ave, San Francisco, CA 94124	Lot #: CA25PT240501d9H	Report ID: S-5

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

05/14/2024

05/14/2024

05/14/2024



Regulatory Compliance Testing

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
-	0.02/0.06	ND	2.0	Pass
Fenpyroximate Fipronil	0.02/0.06	ND	0.02	Pass
•		ND	2.0	
Flonicamid Fludioxonil	0.02/0.06		30.0	Pass
	0.02/0.06	ND		Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass

Sample #: 1216508 Lot #: CA25PT240501d9H Page **2** of **4** Report ID: S-5

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Residual Solvent Screen SPass

05/14/2024

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropylalcohol	57/200	ND	5000	Pass
Methanol	37/200	<loq< td=""><td>3000</td><td>Pass</td></loq<>	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen **O** Pass

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.125	ND	0.5	Pass

Foreign Material 📀 Pass

Method: MF-MACRO-5

Analyte	Findings	Limit	Status	
Sand, Soils, Cinders, and Dirt	ND	25%	Pass	
Mold	ND	25%	Pass	
Imbedded Foreign Material	ND	25%	Pass	
Insect Fragment	ND	1 per 3g	Pass	
Hair	ND	1 per 3g	Pass	
Mammalian Excreta	ND	1 per 3g	Pass	

Mycotoxin Screen 🔮 Pass

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Water Activity

Method: MF 14G051

Instrument: Decagon

Analyte	Findings	Limit	Status
Water Activity	0.42	0.85	Pass

Anresco Laboratories	www.anresco.com		
1375 Van Dyke Ave, San Francisco, CA 94124			

Sample #: 1216508 Lot #: CA25PT240501d9H Page **3** of **4** Report ID: S-5

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

.

05/14/2024

05/14/2024

05/14/2024

05/14/2024



Regulatory Compliance Testing

ND = None Detected LOD = Limit of Detection LOD = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19. Chapter 6. Article 7. §15730. pursuant to §15726.(e)(13).

Reported by

Vu Lam Lab Co Director May 14, 2024



Scan to verify

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.