

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

**DISTRIBUTOR:**

Metta Medical  
[Redacted]  
C11-0001250-LIC

**MANUFACTURER:**

Metta Medical  
[Redacted]  
CDPH-10004472



**SAMPLE INFORMATION**

**Sample No.:** 1223741  
**Product Name:** Level - Sativa Hashtab - CA25HT240522d9S  
**Matrix:** Concentrate (Orally Consumed Concentrate)  
**Lot #:** CA25HT240522d9S  
**Product-Batch Size (Units):** 8661  
**Source UID:** 1A4060300020081000004267

**Sample Increments:** 20  
**Sample Weight / Increment (g):** 1.86  
**Total Sample Weight (g):** 37.2  
**Date Collected:** 06/10/2024  
**Date Received:** 06/10/2024  
**Date Reported:** 06/13/2024

**TEST SUMMARY**

**Cannabinoid Profile:** ✔ Pass      **Microbiological Screen:** ✔ Pass  
**Pesticide Residue Screen:** ✔ Pass      **Residual Solvent Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass      **Foreign Material:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass      **Water Activity:** ✔ Pass  
**Overall:** ✔ Pass

**Cannabinoid Profile** ✔ Pass

06/13/2024

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection:** 0.1333 mg/g  
**Limit of Quantitation:** 0.4000 mg/g

| Cannabinoid               | mg/g   | %      | mg/serving | mg/package | Status |
|---------------------------|--------|--------|------------|------------|--------|
| Δ8-THC                    | ND     | ND     | ND         | ND         | -      |
| Δ9-THC                    | 151.74 | 15.174 | 27.72      | 277.23     | Pass   |
| Δ9-THCA                   | 2.36   | 0.236  | 0.43       | 4.31       | -      |
| THCV                      | 0.92   | 0.092  | 0.17       | 1.68       | -      |
| THCVA                     | ND     | ND     | ND         | ND         | -      |
| CBD                       | <LOQ   | <LOQ   | <LOQ       | <LOQ       | -      |
| CBDA                      | ND     | ND     | ND         | ND         | -      |
| CBC                       | 4.17   | 0.417  | 0.76       | 7.62       | -      |
| CBCA                      | <LOQ   | <LOQ   | <LOQ       | <LOQ       | -      |
| CBDV                      | ND     | ND     | ND         | ND         | -      |
| CBG                       | 5.55   | 0.555  | 1.01       | 10.15      | -      |
| CBGA                      | 1.17   | 0.117  | 0.21       | 2.15       | -      |
| CBN                       | 3.32   | 0.332  | 0.61       | 6.06       | -      |
| Total THC                 | 153.81 | 15.381 | 28.10      | 281.01     | -      |
| Total CBD                 | <LOQ   | <LOQ   | <LOQ       | <LOQ       | -      |
| Total Cannabinoids        | 168.80 | 16.880 | 30.84      | 308.40     | -      |
| Sum of Cannabinoids       | 169.24 | 16.924 | 30.92      | 309.19     | -      |
| <b>Serving Weight (g)</b> | 0.1827 |        |            |            |        |
| <b>Package Weight (g)</b> | 1.83   |        |            |            |        |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Microbiological Screen** ✔ Pass

06/13/2024

| Analyte    | Method       | Findings    | Status |
|------------|--------------|-------------|--------|
| Salmonella | AOAC 2016.01 | Negative/1g | Pass   |
| STEC       | 3M MDS STEC  | Negative/1g | Pass   |

**Pesticide Residue Screen** ✔ Pass

06/13/2024

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Abamectin               | 0.04/0.10      | ND              | 0.3          | Pass   |
| Acephate                | 0.02/0.06      | ND              | 5.0          | Pass   |
| Acequinocyl             | 0.04/0.10      | ND              | 4.0          | Pass   |
| Acetamiprid             | 0.017/0.05     | ND              | 5.0          | Pass   |
| Aldicarb                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Azoxystrobin            | 0.02/0.06      | ND              | 40.0         | Pass   |
| Bifenazate              | 0.02/0.06      | ND              | 5.0          | Pass   |
| Bifenthrin              | 0.04/0.10      | ND              | 0.5          | Pass   |
| Boscalid                | 0.02/0.06      | ND              | 10.0         | Pass   |
| Captan                  | 0.2/0.6        | ND              | 5.0          | Pass   |
| Carbaryl                | 0.02/0.06      | ND              | 0.5          | Pass   |
| Carbofuran              | 0.017/0.05     | ND              | 0.017        | Pass   |
| Chlorantraniliprole     | 0.02/0.06      | ND              | 40.0         | Pass   |
| Chlordane               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorfenapyr            | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorpyrifos            | 0.02/0.06      | ND              | 0.02         | Pass   |
| Clofentezine            | 0.02/0.06      | ND              | 0.5          | Pass   |
| Coumaphos               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Cyfluthrin              | 0.10/0.30      | ND              | 1.0          | Pass   |
| Cypermethrin            | 0.10/0.30      | ND              | 1.0          | Pass   |
| Daminozide              | 0.017/0.05     | ND              | 0.017        | Pass   |
| DDVP (Dichlorvos)       | 0.013/0.04     | ND              | 0.013        | Pass   |
| Diazinon                | 0.017/0.05     | ND              | 0.2          | Pass   |
| Dimethoate              | 0.017/0.05     | ND              | 0.017        | Pass   |
| Dimethomorph            | 0.017/0.05     | ND              | 20.0         | Pass   |
| Ethoprop(hos)           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etofenprox              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etoxazole               | 0.02/0.06      | ND              | 1.5          | Pass   |
| Fenhexamid              | 0.017/0.05     | ND              | 10.0         | Pass   |
| Fenoxycarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Fenpyroximate           | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fipronil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Flonicamid              | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fludioxonil             | 0.02/0.06      | ND              | 30.0         | Pass   |
| Hexythiazox             | 0.02/0.06      | ND              | 2.0          | Pass   |
| Imazalil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Imidacloprid            | 0.02/0.06      | ND              | 3.0          | Pass   |
| Kresoxim Methyl         | 0.02/0.06      | ND              | 1.0          | Pass   |
| Malathion               | 0.017/0.05     | ND              | 5.0          | Pass   |
| Metalaxyl               | 0.017/0.05     | ND              | 15.0         | Pass   |
| Methiocarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Methomyl                | 0.013/0.04     | ND              | 0.1          | Pass   |
| Methyl parathion        | 0.02/0.06      | ND              | 0.02         | Pass   |
| Mevinphos               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Myclobutanil            | 0.02/0.06      | ND              | 9.0          | Pass   |
| Naled                   | 0.017/0.05     | ND              | 0.5          | Pass   |
| Oxamyl                  | 0.013/0.04     | ND              | 0.2          | Pass   |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Pentachloronitrobenzene | 0.017/0.05     | ND              | 0.2          | Pass   |
| Permethrins             | 0.10/0.30      | ND              | 20.0         | Pass   |
| Phosmet                 | 0.02/0.06      | ND              | 0.2          | Pass   |
| Piperonyl Butoxide      | 0.02/0.06      | ND              | 8.0          | Pass   |
| Prallethrin             | 0.04/0.10      | ND              | 0.4          | Pass   |
| Propiconazole           | 0.02/0.06      | ND              | 20.0         | Pass   |
| Propoxur                | 0.013/0.04     | ND              | 0.013        | Pass   |
| Pyrethrins              | 0.15/0.50      | ND              | 1.0          | Pass   |
| Pyridaben               | 0.017/0.05     | ND              | 3.0          | Pass   |
| Spinetoram              | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spinosad                | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spiromesifen            | 0.04/0.10      | ND              | 12.0         | Pass   |
| Spirotetramat           | 0.02/0.06      | ND              | 13.0         | Pass   |
| Spiroxamine             | 0.017/0.05     | ND              | 0.017        | Pass   |
| Tebuconazole            | 0.02/0.06      | ND              | 2.0          | Pass   |
| Thiacloprid             | 0.013/0.04     | ND              | 0.013        | Pass   |
| Thiamethoxam            | 0.02/0.06      | ND              | 4.5          | Pass   |

| Analyte         | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------|----------------|-----------------|--------------|--------|
| Trifloxystrobin | 0.02/0.06      | ND              | 30.0         | Pass   |

## Residual Solvent Screen ✔ Pass

06/13/2024

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane                   | 0.5/0.5       | ND             | 1           | Pass   |
| Acetone                              | 57/200        | ND             | 5000        | Pass   |
| Acetonitrile                         | 56/200        | ND             | 410         | Pass   |
| Benzene                              | 0.5/0.5       | ND             | 1           | Pass   |
| n-Butane                             | 45/200        | ND             | 5000        | Pass   |
| Chloroform                           | 0.5/0.5       | ND             | 1           | Pass   |
| Ethanol                              | 37/200        | ND             | 5000        | Pass   |
| Ethyl acetate                        | 38/200        | ND             | 5000        | Pass   |
| Ethyl ether                          | 37/200        | ND             | 5000        | Pass   |
| Ethylene oxide                       | 0.1/0.5       | ND             | 1           | Pass   |
| n-Heptane                            | 135/200       | ND             | 5000        | Pass   |
| n-Hexane                             | 49/200        | ND             | 290         | Pass   |
| Isopropyl alcohol                    | 57/200        | ND             | 5000        | Pass   |
| Methanol                             | 37/200        | <LOQ           | 3000        | Pass   |
| Methylene chloride                   | 0.1/0.5       | ND             | 1           | Pass   |
| n-Pentane                            | 37/200        | ND             | 5000        | Pass   |
| Propane                              | 72/200        | ND             | 5000        | Pass   |
| Toluene                              | 49/200        | ND             | 890         | Pass   |
| Total xylenes (ortho-, meta-, para-) | 58/200        | ND             | 2170        | Pass   |
| Trichloroethylene                    | 0.5/0.5       | ND             | 1           | Pass   |

## Heavy Metal Screen ✔ Pass

06/13/2024

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05      | ND              | 1.5          | Pass   |
| Cadmium | 0.02/0.05      | ND              | 0.5          | Pass   |
| Mercury | 0.02/0.05      | ND              | 3            | Pass   |
| Lead    | 0.02/0.125     | <LOQ            | 0.5          | Pass   |

## Foreign Material ✔ Pass

06/13/2024

Method: MF-MACRO-5

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

06/13/2024

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) &amp; Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1     | 2/5             | ND               | -             | -      |
| Aflatoxin B2     | 2/5             | ND               | -             | -      |
| Aflatoxin G1     | 2/5             | ND               | -             | -      |
| Aflatoxin G2     | 2/5             | ND               | -             | -      |
| Total Aflatoxins | 8/20            | ND               | 20            | Pass   |
| Ochratoxin A     | 6/18            | ND               | 20            | Pass   |

## Water Activity

06/13/2024

Method: MF 14G051

Instrument: Decagon

| Analyte        | Findings | Limit | Status |
|----------------|----------|-------|--------|
| Water Activity | 0.39     | 0.85  | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19, Chapter 6, Article 7, §15730, pursuant to §15726.(e)(13).

Reported by

  


Vu Lam  
Lab Co Director

June 13, 2024



Scan to verify